	WA1	TER WELL RECORD	Form WWC-5	KSA 82a-	1212	
1 LOCATION OF WATER V	VELL Fraction		Section	Number	Township Number	Range Number
County: Stevens	SE 1/2		1/4 1/4	4	т 32 s	R 39 EW
Distance and direction from 6 North -	nearest town or city? Hu 2 East - 2 South	ig oto n 10 West - 1	Street address	of well if I	ocated within city?	
2 WATER WELL OWNER:			1			1.0
RR#, St. Address, Box #	1200 S. Monro	e e			Board of Agricult	ure, Division of Water Resources
City, State, ZIP Code :	Hugoton, KS 6	7951			Application Numl	
			26 in to	405	ft and	in. to
Well Water to be used as:	5 Public water		8 Air condition		11 Injection	
1 Domestic 3 Feedlot		***	9 Dewatering	m ig	,	Specify below)
2 rrigation 4 Industri			10 Observation	wol!	12 Other (C	pecity below)
	•				et test numning	. day year
Pump Test Data			_			gpm
l 	gpm: Well water was	ft. after			hours pumping hours pumping	gpm
4 TYPE OF BLANK CASIN			8 Canarata			
		5 Wrought iron	8 Concrete			Glued Clamped
	3 RMP (SR)	6 Asbestos-Cement	٠.	•		Welded X
	4 ABS	•				Threaded
						in. to ft.
		in., weight	36•4	lbs./	ft. Wall thickness or ga	uge No
TYPE OF SCREEN OR PE	RFORATION MATERIAL:		7 PVC		10 Asbestos-	cement
	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (spe	ecify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		12 None use	d (open hole)
Screen or Perforation Openi		5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	Mill slot	6 Wire	wrapped		9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch	cut		10 Other (specify)	
Screen-Perforation Dia		405 ft., Dia	in. to		ft Dia	in to
Screen-Perforated Intervals:						to
						toft.
Gravel Pack Intervals:		ft. to405				to
and the second second	From	ft. to		From		to ft.
5 GROUT MATERIAL:		2 cement grout			· · · · · · · · · · · · · · · · · · ·	
I						ft. to
What is the nearest source						14 Abandoned water well
1 Septic tank	4 Cess pool	7 0		10 Fuel s	•	
2 Sewer lines	•	7 Sewage lago	oon		•	15 Oil well/Gas well
	5 Seepage pit	8 Feed yard				16 Other (specify below)
3 Lateral lines	6 Pit privy	9 Livestock pe				er of & Section N/A
						: If yes, date sample
was submitted						
If Yes: Pump Manufacturer's	s name	• • • • • • • • • • • • • • • • • • • •				Volts
Depth of Pump Intake						gal,/min.
			3 Jet			cating 6 Other
						d under my jurisdiction and was
completed on Decen						
and this record is true to the	e best of my knowledge an	d belief. Kansas Water V	Vell Contractor's I	icense No		
This Water Well Record was	s completed onDe	cembern	nonth 11		day 1980	, year under the business
	son Drilling Co.		by (signature)			executiff hor
7 LOCATE WELL'S LOCAT	TION FROM TO	LITHOLOG	IC LOG	FROM		ATHOLOGIC LOG
├─ WITH AN "X" IN SECTI BOX:	ON					
DOA.						
N						
				1		
NW NE						
ž W	E	m 1				-
2 W		Test log	attached		75. T. S.	
SW SE						
<u> </u>						
<u> </u>						
ELEVATION.						
ELEVATION:				l		
Depth(s) Groundwater Enco	untered 1ft	2 ft. 3	ft. 4	ft.	(Use a secon	d sheet if needed)
INSTRUCTIONS: Use typew	riter or ball point pen, pleas	se press firmly and PRINT	clearly. Please fi	ll in blanks	, underline or circle the	correct answers. Send top three
retain one for your records.	Correction and Environment	, Division of Environment,	vvaler vveii Contra	aciors, 10pe	ara, no obozu. Send one	e to WATER WELL OWNER and

Application MENTER-WILSON DRILLING CO.

November 15, 1979

Vincent Youngren Stevens County

Location: SE' SE' NW' 14-32-39 600' East of windmill 10'

South of Fence

Static Water Level - 95

Test #3

Ω	3	Ton Cod 1
<i>Q</i> 3		Top Soil
	22	Brown Clay
22	26	Brown Sandy Clay
26	34	Fine Sand
34	48	Fine Sand Clay mixed
48	51	Fine to med. sand & gravel coarse stress of gravel
51	104	Brown Clay
104	117	Fine to med. sand & gravel
117	127	Brown Sandy Clay Small sand strips
127	138	Brown Clay
138	175	Brown Sandy Clay
175	183	Light Brown Sandy Clay
183	189	Brown Sandy Clay Small sand streak
189	233	Brown Sandy Clay
233/	294	Brown Sandy Clay 25% Fine Sand (loose)
294	339	Brown Sandy Clay Small sand strips
339	372	Brown Sandy Clay
372	389	Brown Sandy Clay commented sand streak
389	405	Yellow Clay Rock no good
405	425	Shale hard