	County	Fraction		Section number		Township number	Range number	
1. Location of well:	Morton	SE 1/4 SW 1/4 NW		2		т 32 s	R 42 E.W	
2. Distance and direction from nearest to fixon NW corner of Richfielder of well: Rex M. Anderson								
2 miles west, 2 north 1 west ½ south Street address of well location if in city:				, or street:		Box 224		
City, s				state, zip code:		Richfield, Ks. 67953		
4. Locate with "X" in section below: N						6. Bore hole dia. 18 in. Completion date		
· · · · · · · · · · · · · · · · · · ·						7 Cable tool X_ Rotary		
						Hollow rod Jetted Bored Reverse rotary		
W						8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock		
						Lawn Oil field water Other		
						9. Casing: Material _stee		
						$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		
1 → 1 Mile — → 1						Dia.12 i3/4" 14.1dep		
5. Type and color of material				From	То	Dia in. to ft. dept	h gage No	
				<u> </u>		10. Screen: Manufacturer's n		
Surface				0	5	Lakewood Typesteel		
						Slot/gauze	_ Length <u>322.5ft</u>	
Sand w/small clay breakers				5	80	Set between	ft. and <u>464</u> ft.	
Shale w/rock				80	125	ft. and ft. and ft. Gravel pack? X Size range of material X 5/8"		
Red bed w/sand strips				125	150	11. Static water level: mo./day/yr. 80 ft. below land surface Date 10/30/78		
Condatono				150	125	12. Pumping level below land		
Sandstone tight				425		200 ft. after24 h		
Sandstone				723	730	ft. after h Estimated maximum yield		
Sandstone very hard				450	460	13. Water sample submitted:	mo./day/yr.	
Red bed and rock				460	520	Yes x No 1	Date	
						Pitless adapter	Inches above grade	
Limestone					585	15. Well grouted?		
Limestone and red bed				585	595	Depth: From ft. to _	Bentonite Concrete 10 ft.	
Red bed w/sandstone strips				595	610	16. Nearest source of possible		
Red bed and limestone very hard				610	625	Well disinfected upon comple	rtion? Yes No	
_						17. Pump:	Not installed	
Cap rock	/ 1 1 1				645 690	Manufacturer's name Model number	HP Volts	
Limestone & red bed				045	690	Length of drop pipe	_ ft. capacityg.p.m.	
Red bed w/sandstone strips				690	730	Type: Submersible	Turbine	
Sandstone (Use a second sheet if needed)				730	745	Jet Centrifugal	Reciprocating Other	
18. Elevation: 19. Remarks:					20. Water well contractor's c	ertification:		
1 1 0 700 F 1 747 54					This well was drilled under m			
Topography: 12½ open hole from 322.5 to 743 feet					is true to the best of my know Houck Bros. Dr.			
— Hill						Burness and 187, Ulys		
X Slope						Address 70 R		
Upland Valley						Signed Authorized rep	resentative D8/20/79	
variey						7.0		