


USE TYPEWRITER OR BALL
POINT PEN—PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Morton	Fraction NW 1/4 NW 1/4 NW 1/4	Section number 19	Township number T 32 S	Range number R 43 E
2. Distance and direction from nearest town or city: 13 3/4 m. W. Richfield 1/4 south		3. Owner of well: Cimmaron NATIONAL GRASSLANDS R.R. or street: Box City, state, zip code: Elkhart KANSAS 67950				
4. Locate with "X" in section below: 		Sketch map:		6. Bore hole dia. 9 in. Completion date 10-10 Well depth 140 ft.		
5. Type and color of material		From		To		7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary
Overburden		0		80		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
fine SAND + clay		80		100		9. Casing: Material PVC Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 14 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 14 lbs./ft. Dia. 5 in. to 100 ft. depth Wall Thickness: inches or Dia. 5 in. to 100 ft. depth gage No. 0258
medium sand + clay		100		110		10. Screen: Manufacturer's name Perseus Type PVC Dia. 5" Slot/gauze 1/16 Length 40 Set between 100 ft. and 140 ft. ft. and ft. Gravel pack? YES Size range of material
SANDY CLAY		110		140		11. Static water level: 80 ft. below land surface Date 10/10/82 12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 30 g.p.m.
						13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date
						14. Well head completion: 14 inches above grade Pitless adapter
						15. Well grouted? YES With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 13 ft.
						16. Nearest source of possible contamination: none ft. Direction Type Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
						17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:		19. Remarks: 16 well drilled in pasture 17. to be completed by different pump company.		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. F.W. Water Well Drilling Inc 142 Business name 1816 Liberal Kansas 67951 Address 1816 Liberal Signed [Signature] Date 10/25 Authorized representative		