


1 LOCATION OF WATER WELL: County: HARPER	Fraction SE 1/4 SW 1/4 SW 1/4	Section Number 4	Township Number T 32 S	Range Number R 5 <del>EW</del>
---	----------------------------------	---------------------	---------------------------	-----------------------------------

Distance and direction from nearest town or city street address of well if located within city?  
 1/2 Mile East of Danville, Kans

2 WATER WELL OWNER: Donald M. Drouhard  
 RR#, St. Address, Box #: Box 52 Danville, Kans. 67036  
 City, State, ZIP Code: Board of Agriculture, Division of Water Resources  
 Application Number: 39,409

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  


4 DEPTH OF COMPLETED WELL: 49' ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 28' ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL 20' ft. below land surface measured on mo/day/yr May 20-90  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield NA gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter 28" in. to 49' ft., and in. to ft.  
 WELL WATER TO BE USED AS:  
 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation **XX** 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes No **X**

5 TYPE OF BLANK CASING USED:  
 1 Steel **XX** 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded **XX**  
 7 Fiberglass Threaded  
 Blank casing diameter 16" in. to 25" ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface 12" in., weight 31.7 lbs./ft. Wall thickness or gauge No. 7 GA.  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel **XX (cooks)** Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 80 slot  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped **XX** 9 Drilled holes  
 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 49' ft. to 25' ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From 49' ft. to 17' ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite **XX** 4 Other  
 Grout Intervals: From 17' ft. to 2' ft., From ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard **XX** 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? East How many feet? App. 500'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	19'	Clay			
19'	28'	Clay Balls.			
28'	34'	Brown Course Sand.			
34'	41'	Course sand & Fine gravel.			
41'	48'	Course sand & Fine gravel.			
48'	49'	Red Bed.			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) May 17 90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 112 This Water Well Record was completed on (mo/day/yr) Aug 8 90 under the business name of Wells Drilling Co. by (signature) Deal Wells

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY T R E W SEC. 1/4 1/4