				H WELL HECCH	ר Form w	VC-5 KSA	82a-1212				
\	ı	ER WELL:		cr-	< r	Section Num		p Number	Range	Number	
County:	arpel	<u> </u>	SE 1/4		5E 1/4	23	3 T	<i>32</i> s	R	5° €W)	
		from nearest town	n or city street a	ddress of well if	located within o	tity?					
15,	3W, 1	Argonia									
		NED Kan	Strader	4 . 0							
	Address, Box	#: 603	N.F. 120	Ave.			Board	of Agriculture, D	ivision of W	ater Resourced	
		λ	ي ا	~ <i>i</i> ~ .	ļ						
I OCATE	WELL'S 1	CATION WITH	DEDTH OF C	OMPLETED WE	<u></u>	56	Applica EVATION:	allori Number.			
AN "X"	IN SECTION	BOX:	Depth(s) Ground	water Encountere	ed 1	. !.Y	. ft. 2	. <i>.35</i> 1 ft. 3.	er en	52ft.	
Ī	- 1	! 1					surface measured				
₋	- NW	- NF	Pum	o test data: Wel	I water was .		ft. after	hours pun	ping	gpm	
	i	, E	Est. Yield	gpm; Wel	I water was .		ft. after	hours pun	nping	gpm	
<u>•</u> [i		Bore Hole Diami	eter /.O i	n. to	56	.ft., and	in.	to		
* w -	ı	1 6 1		O BE USED AS		water supply			njection well	1	
7	1	1	1 Domestic	3 Feedlot			9 Dewatering	•	•		
-	- sw	SE	2 Irrigation	4 Industria			ly 10 Monitoring				
	1 1		•				t? YesNo				
<u> </u>			mitted	bacteriological sal	Tiple Submitted	to Department	Water Well Disinf				
TYPE C)		milea	C 14/2-1-1-1					No No	mped	
		ASING USED:		5 Wrought iron		oncrete tile		JOINTS: Glued			
1 Steel 3 RMP (SR))				pelow)	Welded			
2 PV		4 ABS		7 Fiberglass							
				ft. , Dia		n. to	ft., Dia	ir	n. to	ا ft. اینیون <u>.</u>	
Casing hei	ght above la	nd surface	 18	.in., weight			lbs./ft. Wall thickne	ess or gauge No	SDR	76	
TYPE OF	SCREEN OF	R PERFORATION	MATERIAL:		-	PVC _	10	Asbestos-cemer	it		
1 Ste	eel	3 Stainless	steel	eel 5 Fiberglass			11	11 Other (specify)			
2 Bra	ass	4 Galvanize	d steel	6 Concrete tile		BRMP (SR) BABS		None used (ope			
		RATION OPENING			Gauzed wrapp		8 Saw cut	, ,	11 None (o	nen hole)	
	ntinuous slo				Wire wrapped	56	9 Drilled ho	_	i i ivone (o	pen noie;	
	uvered shutte	•	y punched	26 f	Torch cut	F/.	From	ecify)			
SCREEN-F	PERFORATE	D INTERVALS:	From								
			From	ft.	to	<u></u> /ft.,	From	<i></i> ft. to			
G	RAVEL PAG	CK INTERVALS:	From		to	9 .Øft.,	From	ft. to		ft.	
			From	ft.	to		From			ft.	
6 GROUT	MATERIAL			2 Cement grout	3.5	Bentonite	4 Other				
Grout Inter	vals: Fron	n 3 fi	't. to 🥏	引力,ft.,From.		ft. to	ft., Fron	n .	. ft. to		
What is the		urce of possible c					ivestock pens		andoned wa		
1 Septic tank 4 Lateral lii			l lines	7 Pit priv	N	11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess poo			nool	•	je lagoon		ertilizer storage	16 Other (specify below)			
3 Watertight sewer lines 6 Seepage				9 Feedy	_		Carrier (opposity content)				
	rom well?		go pa	5 1 ccay.	ai G		nsecticide storage many feet? 25				
FROM	TO T		LITHOLOGIC	LOG	FRC		many reer?	PLUGGING IN	TERVALS		
		5-11	EITHOLOGIO		1110	10		· zodanta ni	TETTVALO		
0;	2	2011			· · · · · · · - · · · · · · · · · · · · · · · · · · 						
2	15	Staye 1									
17	36	Ved 2	hale								
							· · · · · · · · · · · · · · · · · · ·				
	<u> </u>										
J				A							
		77	S CERTIFICATI	ON: This water v	vell was (1) <u>co</u>	_	reconstructed, or (
completed	on (mo/day/	vear)	-21-98			and this	record is true to the	e best of my_kno	wledge and	belief. Kansas	
Mater Mel	,	•	~> ~ ~ ~						ーいし		
WALC: WE	,	s License No	395	This Wa	ater Well Recor	d was comple	ted on (mo/day/yr)	, o A-	1 <u>4</u> 78		
	,	s License No.	395	erts Co	ater Well Recor	•	ted on (mo/day/yr)	was Polis	120 1208		