WATER WELL R			n of Water		
	Correction Change in Well Use ATER WELL: Fraction	Resources App. No. Well ID Section Number Township Number Range Num			
County: HANDEY NWNWNW 33 1325 K 5 LIE XW					
2 WELL OWNER: La	Mame: Kille First: Barbara.	reet or Rural	Address who	ere well is located	(if unknown, distance and
Address: 4813	TWIN Post Rd	ection from fical	est town or thic		
Address: Dalla	5 State: TX ZIP: 75244	15	45	Dano	ille KS
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WELL;	6.5. ft.			(decimal degrees)
SECTION BOX:	2) ft. 3) ft., or 4) []	11 !	Longitud	e:	(decimal degrees)
X N	WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-day-yr)	4416	Source for	Latitude/Longitude	4 🗆 NAD 83 🗆 NAD 27 E
NWNE	above land surface, measured on (mo-day-yr)			WAAS enabled? L	
W E	Pump test data: Well water was	m	☐ Land	Survey Topogr	
SII SE	Well water was	m į			
S	Estimated Yield: f. gpm Bore Hole Diameter: f. in. to f	ft. and	Source:	Land Survey 🔲	GPS Topographic Map
mile in. to					
1. Domestic:	5. Public Water Supply: well ID		10. 🗆 Oil Fie	eld Water Supply: Id	ease
☐ Household	6. ☐ Dewatering: how many wells?			: well ID	
Lawn & Garden	7. ☐ Aguifer Recharge: well ID			☐ Uncased ☐ (al: how many bore	
2. Irrigation	9. Environmental Remediation: well ID			Loop Horizon	
3. Feedlot	☐ Air Sparge ☐ Soil Vapor Ext		b) Open	Loop Surface Di	ischarge 🔲 Inj. of Water
4. Tindustrial	☐ Recovery ☐ Injection				*** *** **** **
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:					
Water well disinfected? Yes ☐ No 8 TYPE OF CASING USED: ☐ Steel PVC ☐ Other					
Casing diameter					
Casing height above land surface 2.4 in. Weight					
TYPÉ OF SCREEN OR PERFÓRÁTION MATERIAL: Steel					
Steel Stainless Steel Fiberglass PVC Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)					
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wranged ☐ Saw Cut ☐ None (Open Hole) I SCREEN_PERFORATED INTERVALS: From 45 to 4 From 4 to 4					
SCREEN-PERFORATED INTERVALS: From 45 ft to 65 ft., From ft to ft., From ft to ft. From ft to ft.					
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Nearest source of possible		ພ	î., Fiom	î. w	û.
Septic Tank	Lateral Lines Pit Privy	□ Liv	estock Pens	☐ Insecti	cide Storage
Sewer Lines	☐ Cess Pool ☐ Sewage Lagor	on 🔲 Fue	el Storage	Aband	oned Water Well
watertight Sewer Lin	es 🗀 Seepage rit 🗀 reedyard	☐ rer	THIZET STORAGE	: □ Oil we	en/Gas wen
Other (Specify)	5.W Distance from well'	· /	000	ft	
10 FROM TO	, LITHOLOGIC LOG	FROM			r PLUGGING INTERVALS
0, 2,	5011				
4214	Brawn Clay				
7 165	Ked Shall w/ break				
					
		T			
		Notes:			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This, water well was a constructed, reconstructed, or plugged					
under my jurisdiction an	d was completed on (mo-day-year) 3 16.	and this	s record is a	ue to the best of m	v knowledge and belief,
Kansas Water Well Con	tractor's License No	Well Record	i was comple	ted on (moday-y	ear)
Mail I white copy alor	ng with a fee of \$5.00 for each constructed well to: Kansas	Department of I	Health and Envi	ronment, Bureau of W	ater, GWTS Section
under my jurisdiction and was completed on (mo-day-year)3.—/ and this record is file to the best of my knowledge and belief. Kansas Water Well Contractor's License No					
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015					