1 LOCATION OF WATER WELL:			FRACTION	Water Well Record	Form WWC-5	Section Number	Township Number	Range Number	
Harper			SE 1/4	SE 1/4 S	SW 1/4	2	T 32 s	R 6W E/W	
Distance and direction frem nearest town or city street address of well if located within city?									
3 1/2 miles E. of Harper, N. side of Hwy. 160 Harper, Kansas									
	TER WELL O		CK, Steve		I HWY.		narper, kansas		
	ST. ADRESS,		•	ож 105			Board of Agriculture	Divivsion of Water Resource	
CITY. STATE, ZIP CODE: Harper, Kansas Application Number:							ber:		
3 CONEWELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 50 ft. ELEVATION:									
Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.									
			,.	VATER LEVEL 1!		BELOW LAND SU	RFACE MEASURED ON mo/day/yr	11/16/1995	
	:		Pump te		vater was	ft.	after hours pu		
	**************************************		. Yield	gpm: Well	water was	ft.	after hours pu	. o	
		E Bor	re Hole Diameter		to 50	ft.	and in		
		WE	ELL WATER TO	BE USED AS:	5 Public wate	r supply	8 Air conditioning 11	Injection well	
	SW-		1 Domestic	3 Feedlot	6 Oll field wa	ter supply	9 Dewatering 12	Other (Specify below)	
1	SW		2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well		
;			ıs a chemical/bac	teriological sample su	bmitted to De	epartment? Yes	No X; If yes,	mo/day/yr sample was	
S submitted Water Well Disinfected? Yes X No									
5 FX	PE OF CA	SING USED:		5 Wrought iron		Concrete tile	CASING JOINTS:	Glued X Clamped	
1 Stee	el	3 RMP (SR)		6 Asbestos-Ceme	nt 9	Other (Specify b	elow)	Welded	
2 PV	<u> </u>	4 ABS		7 Fiberglass	S	DR-26		Threaded	
1	asing Diam		to 35	ft., Dia	in.		ft., Dia in.	to ft.	
	•	ve land surface 12 EN OR PERFORATIO	in. N Material .	, weight 2	_		Wall thickness or gauge No. 10 Asbestos-ce	.214	
1 Ste		3 Stainless Steel	N MAI ERIAL:	5 Fiberglass		RMP (SR)	11 other (speci		
2 Bra		4 Galvanized steel		6 Concrete tile		ABS		• •	
2 mass 4 contained seet									
i .	inous slot	3 Mill slot	NG AKE:		zed wrapped wrapped		9 Drilled holes	11 Hone (open note)	
1	ered shutte		had				10 Other (specify)		
1			_	7 Torci			` .	•	
						ft., Fron		_	
			from	ft. to		ft., Fron ft., Fron			
GRAVEL PACK INTERVALS			S: from 2	24 ft. to 50 ft. to		ft., From			
FOR I MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
-	itervals:		t. to 24	ft. From	ft.		ft. From	ft. to ft.	
1		t source of possible con		n. Hom	11.	10 Livesto	•	Abandon water well	
a septic tank 4 Lateral E		nes	7 Pit privy		11 Fuel st	torage 1	5 Oil well/Gas well		
12 ver lines 5 Cess po		ol	8 Sewage lagoon			izer storage 10	16 Other (specify below)		
3 Waterfight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparetn								e Apparetn	
Directio	on from we	11?					How many feet?		
FROM	TO		HOLOGIC LOC		FROM	ТО	PLUGGING INT	ERVALS	
0	4	topsoil							
4	34	clay							
34	45	medium sar	nd						
45	50	red shale							
	 								
		17.0							
									
							V-10		
							W. W		
							15 T. 15 S. 20.		
17 × 1 : 20 ··	-	L							
ATRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
and this record is true to the best of my knowledge and belief. Kansas Water									
Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr)									
fane Frederick									
							yane a	e recuerick	