<u>. </u>		WATE	R WELL RECORD	Form WWC-	5 KSA 82			
LOCATION OF W		Fraction	SE ¼ S€		ction Number	1		ange Number
County: Harp	er	SW 1/4		d within aits?		J ₹ 32	S R	7 EW
	East 14th	, Harper		a within city?				
WATER WELL			mers Coop					
R#, St. Address,	3 N	3 E. 14th	l			Board of Agricu	lture. Division of	of Water Resource
ity State 7IP Cov	Ha:	rper,Ks.				Application Nun	nber:	
LOCATE WELL'S	LOCATION WITH	DEDTH OF C	CAADI ETED WELL	19/2'	# FLEV/	ATION:	1001.	
AN "X" IN SECT	ION BOX:	Depin or C	OMPLETED WELL	12	II. ELEVA	2		
. ———	<u>N</u>	Depth(s) Ground	water Encountered	.Λ.Υ		rface measured on mo/o	- 11. 3	2-98
!								
NW -	NE					after hou		
	1	Est. Yield	gpm: Well water	or was		after hou	urs pumping	gp
w 	E					and		
		1	TO BE USED AS:	5 Public water		8 Air conditioning	11 Injection	
sw _	SE	1 Domestic				9 Dewatering		
i	i i	2 Irrigation				(10) Monitoring well		
	10	Was a chemical/	bacteriological sample :	submitted to D	epartment? Y	'es;	If yes, mo/day/	yr sample was s
	S	mitted			Wa	ater Well Disinfected? Y	'es	(Vo)
TYPE OF BLAN	K CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOINTS:	Glued	. Clamped
1 Steel	3 RMP (S	R)	6 Asbestos-Cement		(specify belo			
2 PVO	4 ABS	11	7 Fiberglass					
	ter <i>a.</i> 375					ft., Dia		
	e land surface <i>FU</i>		.in., weight	<u></u>	lbs.	/ft. Wall thickness or ga	uge No S	CH · 40 · · · ·
YPE OF SCREEN	OR PERFORATIO	N MATER!AL:		7 P\	/C	10 Asbestos	-cement	
1 Steel	3 Stainles	s steel	5 Fiberglass	8 RM	MP (SR)	11 Other (sp	pecify)	
2 Brass	4 Galvaniz	red steel	6 Concrete tile	9 AE	ss	12 None us	ed (open hole)	
CREEN OR PERF	ORATION OPENIN	IGS ARE:	5 Gauz	ed wrapped		8 Saw cut	11 Nor	ne (open hole)
1 Continuous		lill slot	6 Wire	wrapped		9 Drilled holes		-
2 Louvered sl		ey punched	7 Torch	• •		10 Other (specify)		
	ATED INTERVALS:	From	ft. to .	?	ft., Fro	om	. ft. to	
		From	ft. to	· · · / • · · · · · · · · ·	ft Fro	om	, ft. to	
GRAVFI	PACK INTERVALS:	From. 197	2 ft. to	7'	ft Fro	om	ft. to	
		From	ft. to		ft., Fro	om	ft. to	
GROUT MATER	IAL: 1 Neat	cement , (2) Cement grout	(3)Bento				
Grout Intervals: F	rom. 7'_	offic to 3.	ft., From . 3	ft.	to. 0	Other	ft. to	
Vhat is the nearest	source of possible	contamination:	,		10 Lives	stock pens	14 Abandone	d water well
1 Septic tank	•	al lines	7 Pit privy		Fuel		15 Oil well/Ga	
2 Sewer lines			8 Sewage lag	oon	_	lizer storage		
	sewer lines 6 Seep	•	9 Feedvard			cticide storage		
Direction from well		-30 hit	o i couyaid			any feet? 100		
FROM TO	quen	LITHOLOGIC	LOG	FROM	TO		ING INTERVA	LS
0 3	Grass-dl		y, no odor,					
	firm, di							
3 5.5			mp-dry, fir	m L	1			
	no odor.		<u>p </u>		 		-	
5.5 15		clay w/	hlk alass					
2.3 13				-	† -			
15 1 22		, firm, n			+			
15 20			and to sand		 		 	
			stringers &		 	D1	h D-:	m1
		, wet, no		-	 	Fl. mt. OK'd	DY DON	rayıor
	i	ns åt 17'	, tine-					
	coarse s	sand.			 			
				-				
					 			
		And the second resemble to the second					·	
	<u> </u>				<u>1</u> l			
CONTRACTOR	S OR LANDOWNE	R'S CERTIFICAT	ION: This water well w	as (1 constru	cted, (2) rec	onstructed, or (3) plugge	ed under my ju	risdiction and w
ompleted on (mo/c	lay/year) 1-28	-48				ord is true to the best of		
Vater Well Contrac	tor's License No.	. 5.3 0				on (mo/day/yr) 2-/		👡
	name of JB E					ature) MMIA	RIODI	()
				ease fill in blanks		e the correct answers. Send to	n three copies to	(ansas Denartment
of Health and Envir	onment, Bureau of Water.	Topeka, Kansas 6662	20-0001. Telephone: 913-296-5	5545. Send one to	WATER WELL C	WNER and retain one for your	records.	Caraco Coparinoli