1 LOCATION OF WATER WELL:	WATER WELL RECORD Fo	rm WWC-5 KSA 82a-1: Section Number		Range Number
County: Harper	SE ¼ NE ¼ NE	½ 12	T 32 S	R 7 W
	wn or city street address of well if located w	vithin city?	1 02 3	
2 WATER WELL OWNER: Antho	203 E. 14''' , Ha ony Farmers Coop Elevator Co		, and Avenue	
RR#, St. Address, Box # : 203 E.			Board of Agriculture, Div	vision of Water Resources
City, State, ZIP Code : Harper, KS 67003 3				
3 LOCATE WELL'S LOCATON WITH	4 050711 05 001151 5750 1/511	40 4 515)	(ATION)	
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL	π. ELEV	ATION:	- F. O
A P	Depth(s) Groundwater Encountered 1.5 WELL'S STATIC WATER LEVEL 2	7 21	π.	3 Pt.]
NWNE X	WELL'S STATIC WATER LEVEL 2	T.31 It. below land s	unace measured on mo/day	//yr 03/31/10
NW NE	Pump test data: Well water Est. Yield Gpm: Well water	wasF	t, after nours	pumping
	Boro Holo Diameter 8 25 In to	was r	ft and	n to Et Q
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
Bore Hole Diameter 8.25 In. to 40 ft. and in. to Ft. Second to the secon				
	2 Irrigation 4 Industrial 7 La	awn and garden (domestic	c) 10 Monitoring well	MVV-18
S	Was a chemical/bacteriological sample s	•	Yes No X If yes ter Well Disinfected? Yes	
5 TYPE OF BLANK CASING USED:	5 Wrought Iron			ed Clamped
 		9 Other (specify below		ded
2 PVC 4 ABS	7 Fiberglass		·	eaded X
	Ft			
Blank casing diameter2	in. to 20 Dia	In. to	ft., Dia	_ in. toft.
Casing height above land surface FLUSH In., weight SCH 40 Lbs./ft. Wall thickness or gauge No.				
TYPE OF SCREEN OR PERFORATIO)N MATERIAL:	7 PVC	10 Asbestos-cem	ent
1 Steel 3 Stainle 2 Brass 4 Galva	less steel 5 Fiberglass anized steel 6 Concrete tile	9 ARS	12 None used (or) nen hole)
SCREEN OR PERFORATION OPENIN	NGS ARE: 5 Gauze	ed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)				
SCREEN-PERFORATED INTERVALS	6: From 20 ft. to	40 ft. F	romft.	to ft.
	Fromft. to			
SAND PACK INTERVALS:				
	From ft. to	ft. F		to Ft.
6 GROUT MATERIAL: 1 Neat	cement 2 Cement grout		4 Other	
Grout Intervals From2 0	Ft. ft. to 16 From3 1	6 Ft. 18	ft. From	ft. to ft.
Grout Intervals From 2 0 ft. to 16 From 3 16 to 18 ft. From ft. to ft. What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well				
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well				
2 Sewer lines	5 Cess pool 8 Sewage	lagoon 12 Fertili	zer storage 16 O	ther (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminated Site				
Direction from well?		How many		
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING I	-
	rass & roots ilty Clays			NEC.
	layey Silt			
	nd of Borehole			
		 		
	ER'S CERTIFICATION: This water well wa			
Completed on (mo/day/yr) 03/30/16 And this record is true to the best of my knowledge and belief. Kansas				
Water Well Contractor's License No.	585	This Water Well Re	cord was completed on (mo	/day/yr) 04/06/16
under the business name of	Associated Environmenta	al, Inc. B	y (signature) Bradley	l. Johnson
INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bured of Vater opeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.				