4659 Well			VELL RECORD	Form WWC-5	KSA 82	<u>a-1212</u>		
LOCATION OF WA		Fraction	NITT NITT		tion Numbe	r Township		Range Number
County: Barb		NE 1/4	NW 1/4 NE		29	т 33	S	R 11 ½ /W
	n from nearest town	-		•	W-34-4-	- 101		
	ly 8 ½ miles				Medicin	e Luage		
WATER WELL O		ansas Corpo		ission				
R#, St. Address, B	-	02 West McA						Division of Water Resource
ity, State, ZIP Code		odge City, l		27			ion Number:	
AN "X" IN SECTION	או ברו∨. 							<u>.</u>
	X 1	VELL'S STATIC W/ Pump te st. Yieldunknow	ATER LEVEL st data: Well wat 1. gpm: Well wat 1	.5ft. b er wasnot.cer was 540 5 Public wate 6 Oil field wa	below land such the think	urface measured after	on mo/day/yr hours pu hours pu hours pu ing 11	to 10-14-99 gp gp gp gp to 10-14-99 gp gp gp to 10-14-99 gp
<u>Li</u>	\ \^	vas a chemical/bact	teriological sample	submitted to De	epartment? \	/esNo	X; If yes	, mo/day/yr sample was s
		nitted				ater Well Disinfe		· · · · · · · · · · · · · · · · · · ·
TYPE OF BLANK	CASING USED:	5	Wrought iron	8 Concre	ete tile	CASING	JOINTS: Glue	dX Clamped
1 Steel	3 RMP (SR)	6	Asbestos-Cement	9 Other	(specify belo	ow)	Welc	led
2 PVC	4 ABS	7	Fiberglass					aded
								in. to
asing height above	land surface	. ‡2 in.,	weight	32	Ibs	./ft. Wall thicknes	ss or gauge N	lo • 2.5.5
YPE OF SCREEN	OR PERFORATION	MATERIAL:		7 PV	C	10 /	Asbestos-ceme	ent
1 Steel	3 Stainless s	steel 5	Fiberglass	8 RM	MP (SR)	11 (Other (specify)	1
2 Brass	4 Galvanized	steel 6	Concrete tile	9 AB	s	12 1	None used (or	pen hole)
CREEN OR PERFO	PRATION OPENINGS	S ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (open hole)
1 Continuous s	lot 3 Mill	slot	6 Wire	wrapped		9 Drilled hole	es	
2 Louvered shu	itter 4 Key	punched	7 Torc	• •		10 Other (spe	cify)	
				n cut				
	TED INTERVALS:	From	ft. to .	3.3	ft., Fr	om	ft. 1	to to
GRAVEL P GROUT MATERIA Grout Intervals: Fr	ACK INTERVALS: L: 1 Neat cer Compacted so	From	ft. to	33	ft., Frontie 4 to	omomomomomomomomomom	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest	ACK INTERVALS: 1 Neat cer Compacted so. om. 0 ft. source of possible co	From	ft. to	33	ft., From tt., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank	ACK INTERVALS: 1 Neat cer Compacted solom 0tt. source of possible co	From	ft. to	33	ft., From tt., From tt., From tt. 4 to	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest to 1 Septic tank 2 Sewer lines	ACK INTERVALS: 1 Neat cer Compacted so; 0 to source of possible co 4 Lateral 5 Cess po	From	ft. to ft. ft. ft. ft., From 7 Pit privy 8 Sewage lag	33	ft., From tt., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se	ACK INTERVALS: 1 Neat cer Compacted solom 0tt. source of possible co	From	ft. to	33	ft., From the first file file file file file file file file	om	ft.	to
GRAVEL P GROUT MATERIA Frout Intervals: Fr I	ACK INTERVALS: 1 Neat cer Compacted so; 0 to source of possible co 4 Lateral 5 Cess po	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	ACK INTERVALS: 1 Neat cer Compacted Solom	From	ft. to	33	ft., From the first file file file file file file file file	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3	ACK INTERVALS: 1 Neat cer Compacted Solom 0	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Frout Intervals: Fr What is the nearest: Septic tank Sewer lines Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA rout Intervals: Fr /hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se irrection from well? FROM TO 0 3	ACK INTERVALS: 1 Neat cer Compacted Solom 0	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA frout Intervals: Fr /hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se pirection from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Frout Intervals: Fr What is the nearest: Septic tank Sewer lines Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Frout Intervals: Fr What is the nearest: Septic tank Sewer lines Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA frout Intervals: Fr /hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se pirection from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 33	ACK INTERVALS: 1. Neat cer Compacted Score on	From	ft. to . Pit. privy Sewage lag Feedyard	3.3	ft., From the ft., From t	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 33 33 40	ACK INTERVALS: 1. Neat cer Compacted so on 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Topsoil Sand and g Shale, red	From	ft. to	33	to	om	ft.	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 33 33 40 CONTRACTOR'S	ACK INTERVALS: 1. Neat cer Compacted So. on	From	ft. to	33	to	om	ft.	der my jurisdiction and w
GRAVEL P GROUT MATERIA Frout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se FROM TO 0 3 3 33 33 40 CONTRACTOR'S CONTRACTOR'S CONTRACTOR'S	ACK INTERVALS: 1. Neat cer Compacted So. on. 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Topsoil Sand and g. Shale, red OR LANDOWNER'S y/year) 10-14.	From	ft. to	33	toft., From the fit., From the	om	ft.	der my jurisdiction and wowledge and belief. Kans
GRAVEL P GROUT MATERIA irout Intervals: Fr /hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se irrection from well? FROM TO 0 3 3 33 33 40 CONTRACTOR'S completed on (mo/da //ater Well Contractor)	ACK INTERVALS: 1. Neat cer Compacted So. on	From	ft. to	33	toft., From the fit., From the	om	ft.	der my jurisdiction and wowledge and belief. Kans