

WATER WELL RECORD Form WWC-5 1191299

"CORRECTED"

MW 7 MW #10sag

Division of Water Resources App. No. Well ID

1 LOCATION OF WATER WELL: County: Barber Fraction SE 1/4 NW 1/4 SE 1/4 NE 1/4 Section Number 27 Township Number T 33 S Range Number R 15 E W

2 WELL OWNER: Last Name: Business: Osage Resources Address: 209 N K61 Hwy City: Hutchinson State: KS ZIP: 67502 Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: 3 1/2m S on Sunnyside Rd from intersection with Aetna Rd., then W to end of Sunnyside, S on lease rd 1/4m, then East into

3 LOCATE WELL WITH "X" IN SECTION BOX: NW NE SW SE

4 DEPTH OF COMPLETED WELL: 37 ft. Depth(s) Groundwater Encountered: 1) 8 ft. 2) ft. 3) ft., or 4) Dry Well WELL'S STATIC WATER LEVEL: 8 ft. below land surface, measured on (mo-day-yr) 02/20/2014

5 Latitude: 37.14600621 (decimal degrees) Longitude: 098.9311498 (decimal degrees) Datum: WGS 84 NAD 83 NAD 27

6 Elevation: 1803 ft. Ground Level TOC Source: Land Survey GPS Topographic Map Other KOLAR

7 WELL WATER TO BE USED AS: 1. Domestic: Household Lawn & Garden Livestock Irrigation Feedlot Industrial 5. Public Water Supply: well ID 6. Dewatering: how many wells? 7. Aquifer Recharge: well ID 8. Monitoring: well ID MW #10sag 27-12R 9. Environmental Remediation: well ID Air Sparge Soil Vapor Extraction Recovery Injection 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5 in. to 34 ft. Diameter in. to ft. Diameter in. to ft. Casing height above land surface 36 in. Weight lbs./ft. Wall thickness or gauge No. 40

TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Brass Galvanized Steel Concrete tile None used (open hole) Other (Specify)

SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 34 ft. to 37 ft. GRAVEL PACK INTERVALS: From 32 ft. to 37 ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 32 ft. From ft. to ft. From ft. to ft.

Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Brine Pond Direction from well? SE Distance from well? 250 ft.

LITHOLOGIC LOG table with columns FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 02/20/2014 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 665 This Water Well Record was completed on (mo-day-year) 02/26/2014 under the business name of Pratt Well Service