			SW-SW-NE	-NW						
* 3	Ē		Form W	DRL						
							r Resources App. N			
			Fraction NUM NEM SU	345W		ion Number 18	Township No. T 33 S	Range Numl		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information: Latitude: .37.10.657				
3 E and 1/2 S from Protection						Longitude: 099 25.514 (in decimal degrees) Elevation: 1911				
						Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Verlyn Willems RR#, Street Address, Box #:						Collection Method: GPS unit (Make/Model: :Garmin GPSmap60)				
City, State, ZIP Code : Protection, KS						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 170						ft.				
SECTION BOX: Denth(s) Groundwater Encountered (1)					ft.	ft. (2) ft. (3) ft.				
	N	WELL'S STATIC	ft. below	below land surface measured on mo/day/yr.12/16/09						
Pump test data: Well water was 120 ft. after 1 hours pumping 20 gpm EST. YIELD 10 gpm. Well water was ft. after hours pumping gpm										
w	W									
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well SW SE										
SWSE Domestic Feeding On heid water supply Dewatering Other (specify below)										
Was a chemical/bacteriological sample submitted to Department? Yes Y No										
S If yes, mo/day/yr sample was submitted										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5										
Casing diameter .3										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From									ft.	
GRAVEL PACK INTERVALS: From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: FromOp										
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									w)	
Sewer lines Cesspool Sewage lagoon					age	▼ Abandoned		NA : 9 50	ľÓ	
Direc	Watertig	ht sewer lines	☐ Feedyard [Fertilizer		☐ Oil well/gas ell 1.000	s well BUR	eau of M	Ja web	
FROM	TO	LITHOLOGIC	LOG	FROM	TO		G (cont.) or PLU	GGING INTE	RVALS	
0	3	Topsoil								
3	40	red clay		Grande, Ed		e estécia levitor.	n e	Part man	-	
40 45	45 80	sand red clay		H	CEN		- KE	CENED		
80	120	sand and sand rock			11100	0.046	I A A	1 7 0 0010		
120	130	red clay		JA	N 20	2010	JAI	V 1 2 2010		
130	170	sand and sand rock	BHRE	HINE	WATER	BUREA	U OF WAT	ED		
					10 01	AALA SOF		2 01 4401	Paren I'V	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged										
under my jurisdiction and was completed on (mo/day/year) .12/18/2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No101 This Water Well Record was completed on (mo/day/year) .1/4/2010										
under the business name of Bartel Well Drilling, Inc. by (signature) . Review J. Boxtu.										
		Use typewriter or ball point pen. P								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone. 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Dlue Copy, Pink Copy										
					٠,			- سا ور∽-		