


11/11/96

1 LOCATION OF WATER WELL: County: <u>Sumner Co.</u> Distance and direction from nearest town or city street address of well if located within city? <u>CORBIN, KS. CITY LIMITS</u>	Fraction <u>SW 1/4 SW 1/4 SE 1/4</u>	Section Number <u>33</u>	Township Number <u>T 33</u>	Range Number <u>R 2</u>
---	---	-----------------------------	--------------------------------	----------------------------

2 WATER WELL OWNER: <u>WALCOTT & GARVEY ELEVATOR</u> RR#, St. Address, Box #: City, State, ZIP Code: <u>CORBIN, KANSAS</u>	Board of Agriculture, Division of Water Resources Application Number:
--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: <u>25</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter: <u>7 1/4</u> in. to <u>25</u> ft., and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only <input checked="" type="checkbox"/> Monitoring well 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No
---	---

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile <input checked="" type="radio"/> PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Blank casing diameter: <u>2</u> in. to <u>15</u> ft., Dia in. to ft., Dia in. to ft. Casing height above land surface: <u>0</u> in., weight <u>Sched 40</u> lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <input checked="" type="radio"/> Mill slot <u>0.16</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes SCREEN-PERFORATED INTERVALS: From <u>25</u> ft. to <u>15</u> ft., From ft. to ft. GRAVEL PACK INTERVALS: From <u>25</u> ft. to <u>13</u> ft., From ft. to ft.	CASING JOINTS: Glued Clamped Welded Threaded <input checked="" type="checkbox"/>
---	---

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From <u>11</u> ft. to <u>3</u> ft., From <u>13</u> ft. to <u>11</u> ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well <input checked="" type="radio"/> Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>South</u> How many feet? <u>170'</u>
--

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5"	Sand and silt, dk ben.			
5"	3'	clayey silt, dk ben			
3'	4.75'	as above			
4.75'	8'	Silty clay, brn, damp			
8'	10'	Silt, lt reddish, brn, damp			
10'	11'	as above, dense			
11'	15'	Silty sand, red, damp			
15'	19.5'	lt. brn, damp			
19.5'	20'	Sandy silt red wet			
20'	22'	Silty sand, saturated			
22'	25'	Sand, lt. brn, saturated			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10-16-96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>575</u> This Water Well Record was completed on (mo/day/year) <u>11-18-96</u> under the business name of <u>KURTZ ENVIRONMENTAL SERVICE</u> by (signature) <u>[Signature]</u>
--