KOLAR Document ID: 1582024

	WELL R	ECORD Correction		WWC-5 ge in Well Use		vision of Wat			Well ID			
				Fraction		ction Numb		Township Numbe		ge Number		
1 LOCATION OF WATER WELL: County:Fraction1/41/4							$\begin{array}{c c} T & S & R & \Box E & W \end{array}$					
2 WELL OWNER: Last Name: First: S Business: Address: Address:						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
3 LOCATE WELL												
WITH "				IPLETED WELL: .								
SECTION BOX: Depth(s) Groundwater Encount					ountered: 1) ft. ft., or 4) \Box Dry Well			Longitude:				
1	N					Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
			WELL'S STATIC WATER LEVEL: f)		
NW	NE						□ GPS (unit make/model:) (WAAS enabled? □ Yes □ No) □ Land Survey □ Topographic Map					
	X	Pump test da	Pump test data: Well water was ft.									
w	E	after			Online Mapper:							
SW	SE	Well water was ft. after hours pumping gpm										
		Estimated Y	gpin	6 Eleva	6 Elevation:ft. Ground Level TOC							
	S	Bore Hole D		ft. and	Source	Source: Land Survey GPS Topographic Map						
1 r	nile			ft.	Other							
7 WELL WATER TO BE USED AS:												
1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?												
☐ Housel												
			-									
	□ Livestock 8. □ Monitoring: well ID □ Irrigation 9. Environmental Remediation: well ID						12. Geothermal: how many bores?a) Closed Loop □ Horizontal □ Vertical					
3. ☐ Feedlot							b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water					
4. 🗌 Industr	rial		□ Recovery □ Injection			13. 🔲 C	13. 🗌 Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Stainless Steel PVC Other (Specify)												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
	Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
		le contaminati	on: No	potential source of con	tamination wi	thin 200 ft.						
Septic '			Lateral Line			Livestock P			ide Storage			
			Cess Pool	Sewage Lag	goon	Fuel Storage	e	Abando		Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well?												
10 FROM	TO	L	ITHOLO	GIC LOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
							1					
No						otes:						
	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)											
Kansas Wa	ter Well Co	ntractor's Lice	ense No		ater Well Re	cord was co	mple	ted on (mo-day-ve	ear)	₂ , and benef.		
	usiness nam	e of					· · · · · · · ·					
		Send one copy to	WATER W	ELL OWNER and retain o	one for your rec	ords. Fee of \$	65.00 fe	or each constructed we	11.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												