

1	LOCATION OF WATER WELL: County: Comanche	Fraction NE 1/4 SE 1/4 SE 1/4	Section Number 36	Township Number T 33 S	Range Number R 20 E
---	--	---	-----------------------------	----------------------------------	-------------------------------

Distance and direction from nearest town or city street address of well if located within city?

Protection: **E on 160 to MM 171--4 S--1 E--3/4 S and W into--**

2	WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :	American Warrior P.O. Box 399 Garden City, KS 67846	#1-30 Baker Board of Agriculture, Division of Water Resources Application Number: 20050016
---	---	--	---

3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4	DEPTH OF COMPLETED WELL 185 ft. ELEVATION:
---	--	---	---

Depth(s) Groundwater Encountered **35** ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL **35** ft. below land surface measured on mo/day/yr **01-10-05**

Pump test data: Well water was **90** ft. after **1** hours pumping **100** gpm

Est. Yield **100** gpm: Well water was ft. after hours pumping gpm

WELL TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)	9 Dewatering	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes **X** No

5	TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
---	----------------------------	----------------	-----------------	--

Blank casing diameter **12 3/4** in. to **123** ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface **24** in., weight **50** lbs./ft. Wall thickness or gauge No. **.33**

1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded X
2 PVC	4 ABS	7 Fiberglass		Threaded

1 Steel	3 Stainless Steel	5 Fiberglass	7 PVC	10 Asbestos-Cement
2 Brass	4 Galvanized Steel	6 Concrete tile	8 RMP (SR)	11 Other (Specify)
			9 ABS	12 None used (open hole)

1 Continuous slot	3 Mill slot	5 Gauze wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	ft.

SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.

6	GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
---	-----------------	----------------------	----------------	-------------	---------------

Grout Intervals: From **123** ft. to ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	8	Black Surface Clay			
8	19	Sandy Clay/White Sand			
19	43	Red/Blue Clay			
43	75	White Rock/Red Clay			
75	90	Dark Red Clay/White Rock			
90	115	White Rock			
115	129	Red/Blue/Tan Clay			
129	133	Free Fall--Loose Formation			
133	151	Red Shale/White Rock			
151	185	Dark Red Clay			

7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 01-10-05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No KWWCL-430 This Water Well Record was completed on (mo/day/yr) 01-10-05 under the business name of Howard Drlg. Co. Box 806 Beaver, OK 73932 by (signature) <i>Howard Drlg. Co.</i>
---	---