WATER WELL		WWC-5	Divis	sion of Water				
Original Record		ge in Well Use		arces App. No.		Well ID		
1 LOCATION OF V County: COMMA		Fraction SW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₂		ion Number 27	Township Numb T 33 S		nge Number 0 □ E □ W	
2 WELL OWNER:		Street or Rural Address where well is located (if unknown, distance and						
				direction from nearest town or intersection): If at owner's address, check here:				
Address: 793 RD Address:	0		4 MILES SO	MILES SOUTH OF PROTECTION				
City: PROTECTION State: KS ZIP: 67127								
3 LOCATE WELL	4 DEPTH OF CO	MPLETED WELL:	84 ft.	5 Latitude	:		(decimal degrees)	
WITH "X" IN SECTION BOX: Depth(s) Groundwater Encountered: 1)								
SEC TION BOX: 2) ft. 3) ft., or 4) \Box Dry				Well Horizontal Datum: WGS 84 NAD 83 NAD 27				
	WELL'S STATIC WATER LEVEL: 13 ft.				Source for Latitude/Longitude:			
below land surface, measured on (mo-day-yr)								
Pump test data: Well water was ft.				Land Survey Topographic Map				
w E after hours pumping gpm				Online Mapper:				
	Estimated Yield:5	rs pumping 0 gram	gpm	6 Elevatio	n :ft	🗌 Groun	d Level 🔲 TOC	
s Bore Hole Diameter:								
1 mile		in. to] Other			
7 WELL WATER TO BE USED AS:								
1. Domestic:			10. Oil Field Water Supply: lease					
☐ Household ☐ Lawn & Garden			\Box Cased \Box Uncased \Box Geotechnical					
Livestock					12. Geothermal: how many bores?			
2. Irrigation 9. Environmental Remediation: well ID				a) Closed Loop 🔲 Horizontal 🔲 Vertical				
3. 🗌 Feedlot 🗌 Air Sparge 🗌 Soil Vapor Extr				b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? 🗌 Yes 🖿 No If yes, date sample was submitted:								
Water well disinfected? Yes No								
8 TYPE OF CASING USED: □ Steel ■ PVC □ Other								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
□ Steel □ Stainless Steel □ Fiberglass ■ PVC □ Other (Specify)								
Brass Galvanized Steel Concrete tile None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Deat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage								
Sewer Lines								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
Direction from well? WEST Distance from well? .150.								
10 FROM TO		OGIC LOG	FROM	TO LI	THO. LOG (cont.) o	r PLUGGIN	IG INTERVALS	
0 2	SANDY TOP SOIL		TROM			1 De G GI	GINTERCIES	
2 25	BROWN CLAY							
25 32	GRAY CLAY							
32 40	MED SAND							
40 45	RED CLAY & COARSE SAND							
45 49	RED CLAY							
49 76	SANDY CLAY & SAND STRKS Notes:							
76 87 WHITE SANDSTONE-HARD								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, Constructed, or								
under my jurisdiction and was completed on (mo-day-year) .7/28/.19 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 805								
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								