WATER WELL R		WWC-5		rision of Water		W-D ID	SV/AS15	
Original Record		ge in Well Use		ources App. No.	Township Numb	Well ID	ge Number	
1 LOCATION OF WATER WELL: Fraction County: Comanche SE 1/4 SW 1/4 NE 1/4			NW ¼ Section Number Township Number Range Number T 33 S R 20 □ E ■ W					
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown)								
Business: Alliance A				ersection): If at owner				
Address: 311 N. Ma	ain				,			
Address:	a KC	oadway, Prote	ction					
City: Greensbu	ra State: KS	ZIP: 67054						
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COM	IPLETED WELL: .	30 ft	. 5 Latitude	. 37.20408	30	(decimal degrees)	
SECTION BOX:	Depth(s) Groundwater	Encountered: 1)2	? ft.	Longitue	le: -99.4847	760	(decimal degrees)	
N SECTION BOX.	2) ft.	3) ft., or 4) □	Dry Well		l Datum: WGS 84			
 		TER LEVEL:		Source fo	r Latitude/Longitude:	•		
		, measured on (mo-day-						
NWNE		, measured on (mo-day-			WAAS enabled?		(o)	
w		vater was ft s pumping		Land	Survey Topogra	iphic Map		
		vater was fi		■ Onlin	e Mapper: Google			
SW SE	1	s pumping						
	Estimated Yield:	gpm			n:ft.			
S	Bore Hole Diameter:	.13 ¹ in to 30	. ft. and	_	Land Survey 🔲 🤇			
mile		in. to	ft.		Other			
7 WELL WATER TO								
1. Domestic:		ter Supply: well ID			eld Water Supply: le			
Household					e: well ID			
☐ Lawn & Garden☐ Livestock	7. Aquifer R			Uncased (
2. Irrigation								
3. Feedlot	Air Sparge				Loop Surface Dis			
4. Industrial	☐ Recovery		Mil delion		(specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
Water well disinfected? \square Yes \square No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 27.5 ft. to 30 - 2" ft., From 10 ft. to 25-4" ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 8 ft. to 30 ft., From ft. to ft., From ft. to ft.								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Nearest source of possible contamination:								
Septic Tank								
☐ Sewer Lines	Cess Pool	☐ Sewage Lag		Fuel Storage		ned Water V		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Direction from well? ft.								
Direction from well?	A AWARDA O	Distance from we		mc 1	ft.	DI 110 ===	<u> </u>	
10 FROM TO 0.5	LITHOLOG	SIC LOG	FROM	TO LIT	HO. LOG (cont.) or	PLUGGING	INTERVALS	
	Concrete							
	Clay, v. silty, Gray Bro		ļ					
	Clay, silty, Brown to G							
	Clay, silty, Gray Brown	1						
	Clay, silty, Dark Gray	nla Onna						
	Sand, vf-c, v. silty, Da		NT-4	045 - 1517=1=		· 40"1 ·		
	Sand, vf-c, v. silty, Gra		7		vere placed together		ioie as	
27 30 0	Clay, silty, sandy strng	ars, Gray Brown	co-located v	wells. KDHE Pro	ect Code U1-017-002	<u>1</u> 42		
11 CONTRACTORS OF LANDOWNERS CERTIFICATION. This is the second of the se								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .3/21/2022 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo-day-year) 8/29/2022								
under the business name of GeoCore, LLC								
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
					or your records. Telepho			
Visit us at http://www.kdheks	gov/waterwell/index.html		KSA 82a-12	12		Kevised	7/10/2015	



Project Site:

Protection Cooperative Supply Co., 401 N. Broadway Ave., Protection, Kansas KDHE Project Code: U1-017-00242

Page 1 of 3



Protection Cooperative Supply Co., 401 N. Broadway, Protection – KDHE Project #U1-017-00242 Closer View of Congested Well Locations
Page 2 of 3

Comanche

7335- ROOW-Seci3

Protection Cooperative Supply Co., 401 N. Broadway, Protection – KDHE Project #U1-017-00242 Page 3 of 3

GPS Coordinates:		
SV/AS1: 37.204109, -99.484843	SV/AS13:	SV/AS13: 37.204078, -99.484842
SV/AS2: 37.204110, -99.484799	SV/AS14:	SV/AS14: 37.204081, -99.484801
SV/AS3: 37.204111, -99.484761	SV/AS15:	SV/AS15: 37.204080, -99.484760
SV/AS4: 37.204111, -99.484719	SV/AS16:	SV/AS16: 37.204079, -99.484714
SV/AS5: 37.204111, -99.484678	SV/AS17:	SV/AS17: 37.204081, -99.484674
SV/AS6: 37.204111, -99.484636	SV/AS18:	SV/AS18: 37.204079, -99.484632
SV/AS7: 37.204110, -99.484596	SV/AS19:	SV/AS19: 37.204080, -99.484590
SV/AS8: 37.204111, -99.484554	SV/AS20:	SV/AS20: 37.204079, -99.484549
SV/AS9: 37.204113, -99.484513	SV/AS21:	SV/AS21: 37.204078, -99.484507
SV/AS10: 37.204110, -99.484472	SV/AS22:	SV/AS22: 37.204081, -99.484464
SV/AS11: 37.204110, -99.484431	SV/AS23:	SV/AS23: 37.204081, -99.484424
SV/AS12: 37.204109, -99.484388	SV/AS24:	SV/AS24: 37.204078, -99.484379
MW23: 37.204045, -99.484543	MW25:	MW25: 37.204061, -99.484830
MW24: 37.204270, -99.484671	MW26:	MW26: 37.204347, -99.484026

SV/AS35:	SV/AS33:	SV/AS31:	SV/AS30:	SV/AS27:	SV/AS25:
SV/AS36:	SV/AS34:	SV/AS32:		SV/AS28:	SV/AS26:
37.204045, -99.484422	37.204045, -99.484507	37.204045, -99.484592	37.204046, -99.484632	37.204045, -99.484759	37.204045, -99.484843
37.204044, -99.484380	37.204044, -99.484465	37.204045, -99.484550		37.204046, -99.484718	37.204045, -99.484802