

CORRECTION(S) TO WATER WELL RECORD (WWC-5)  
(to rectify lacking or incorrect information)

County: Clark

Location listed as:

Section-Township-Range: None Given

Fraction ( 1/4 1/4 1/4): \_\_\_\_\_

Location changed to:

14-33S-22W

SW NW NW SW

Other changes: Initial statements: \_\_\_\_\_

Changed to: \_\_\_\_\_

Comments: \_\_\_\_\_

verification method: Latitude & longitude, KGS' "LEO" conversion tool, and mapping tool on KGS website.

initials: DR date: 10/10/2008

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726  
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: Clark Fraction 1/4 1/4 1/4 Section Number Township Number Range Number T S R E/W

Distance and direction from nearest town or city street address of well if located within city? Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 37° 10.111 Longitude: 099° 41.240 Elevation: 1972 Datum: Data Collection Method:

2 WATER WELL OWNER: Robin Roberts RR#, St. Address, Box #: City, State, ZIP Code: Englewood, KS

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram] 4 DEPTH OF COMPLETED WELL: 140 ft. Depth(s) Groundwater Encountered (1) 4.5 ft. (2) 1.35 ft. (3) 2.0 ft. WELL'S STATIC WATER LEVEL: 9-2-08 Pump test data: Well water was 1.35 ft. after 2 hours pumping 2.0 gpm Est. Yield: 2 gpm Well water was ... ft. after ... hours pumping ... gpm

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued [checked] Clamped Welded Threaded 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Blank casing diameter 5 in. to 100 ft. Diameter 2.4 in. Weight Wall thickness or gauge No. 20# TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass [checked] PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot [checked] Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 100 ft. to 140 ft. GRAVEL PACK INTERVALS: From 20 ft. to 140 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout [checked] Bentonite 4 Other Grout Intervals: From top ft. to 20 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage [checked] Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well? West How many feet? 200

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0-2 topsoil, 2-5 sand, 5-40 red clay, 40-50 sand, 50-140 lost circulation.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was [checked] constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-4-08 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 10.1. This Water Well Record was completed on (mo/day/year) 9-5-08 under the business name of Bartel Well Drilling, Inc. by (signature) Robert J. Bartel

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.