## KOLAR Document ID: 1533284

	WELL R			WWC-5		vision of Wat ources App.			Well ID		
Original Record       Correction       Change in Well Use         1       LOCATION OF WATER WELL:       Fraction					ction Numb		Township Numbe		ge Number		
County: 1/4 1/4 1/4							T S R DEDW				
2 WELL Business: Address: Address: City:	OWNER: La		State:	First: ZIP:		reet or Rural Address where well is located (if unknown, distance and ection from nearest town or intersection): If at owner's address, check here:					
3 LOCATE WELL											
WITH "	WITH "X" IN Depth(s) Groundwater Encountered: 1)						5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	SECTION BOX:         Depin(s) Groundwater Encountered.         1)           N         2)					Datu	Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:				
		below la	and surface	-yr)	· 🗌 🗌 (	GPS (unit make/model:)					
NW	NE			-yr)		(WAAS enabled? $\Box$ Yes $\Box$ No)					
w	E	Pump test data: Well water was ft. after hours pumping gpm					□ Land Survey □ Topographic Map □ Online Mapper:				
			ft.								
SW	-X <sup>SE</sup>		hours	gpm	6 Elev	6 Elevation:ft.  Ground Level  TOC					
	S	Estimated Y Bore Hole D		ft and		Source:  Land Survey  GPS  Topographic Map					
1 n		Done Hole E	ft.								
7 WELL WATER TO BE USED AS:											
1. Domestic:     5. □ Public Water Supply: well ID											
	□ Household       6. □ Dewatering: how many wells         □ Lawn & Garden       7. □ Aquifer Recharge: well ID						st Hole: well ID Cased Duncased Geotechnical				
	Livestock 8. Monitoring: well ID							al: how many bores			
	2.  Irrigation 9. Environmental Remediation: well ID					a) C	a) Closed Loop 🔲 Horizontal 🔲 Vertical				
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? $\Box$ Yes $\Box$ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel       Steel       PVC       Other (Specify)         Brass       Galvanized Steel       None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
	red Shutter	Key Punch				None (Open ]					
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Nearest sour	rce of possible	e contaminati	on: No	potential source of con	tamination wi	thin 200 ft.					
			Lateral Line			Livestock P			ide Storage		
Sewer I			Cess Pool			Fuel Storag			oned Water	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO	L	ITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	3 INTERVALS	
							1				
	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No											
		Send one copy to	WATER W	ELL OWNER and retain	one for your rec	ords. Fee of \$	\$5.00 fc	or each constructed we	11.		
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										
Visit us at h	<u>ttp://www.kdhel</u>	ks.gov/waterwel	<u>i/index.html</u>						KS	A 82a-1212	