WATER WELL RECORD		Form W	Division of Water Resources App. No.						
	LOCATION OF WATER WELL: County: CLARK		Fraction NE ¼ SW ¼ SW	/ ¼ NE ¼		Number 12	Township No. T 33 S	Range Number R 23 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .						Latitude: .37.18656 (in decimal degrees)			
10TH &	10TH & HIGHLAND, ASHLAND, KS 67831					Longitude: 99.76696 (in decimal degrees)			
						Elevation: .1971.84			
2 WATER WELL OWNER: CLARK CO. HWY. DEPT.						Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 920 HIG				Collection Method:   GPS unit (Make/Model:)					
Gir Gir Gir			ND. KS 67831	☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey					
		ASILAN	ND, NO 07031					] 5-15 m, □ >15 m	
3 LOCATE WELL A DEPTH OF COMPLETED WELL 55.0									
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .55.0 ft.								
1	SECTION BOX: Depth(s) Groundwater Encountered (1).~40.0 ft. (2)							(3) It.	
	<u>``</u>	WELL S STATE	tost data: Wall water	th data: Well water wasft. after					
			gpm. Well water wasft. after						
			ter						
"   _   _	X   E			BE USED AS: Public water supply Geothermal Injection well					
CW	SE							Other (Specify below)	
sw	SW -  SE -								
		Was a chemical/b	oacteriological sample	submitted to	Departme	ent?	Yes 🗹 No		
S If yes, mo/day/yr sample was submitted									
1 mile  Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .2 in. to .35.0 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From35									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
Grout Intervals: From									
Septic tank									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Lust Site									
				Distance	from well				
	0 0	LITHOLOG	IC LOG	FROM	TO 1	LITHO. LC	JG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 1 37	TOP SO								
37 42				1					
42 50									
50 55			FINE TO MEDIUM	i i -			MW3R		
30   00	O A NO,	OL/(ILI,VLI(I	THE TO MEDICIN						
						,			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .05/13/20.14 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) .06/16/2014									
under the business name of Coranço Great Plains, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and eneck the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									