KOLAR Document ID: 1508860

WATER WELL R			WWC-5			ion of Wate						
	Correction		e in Well Use			rces App. N		— 11) 1	Well ID			
1 LOCATION OF WATER WELL:			Fraction		Section	on Number Township Num T S				ige Number		
county.					Qural	$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
						irection from nearest town or intersection): If at owner's address, check here:						
Address:	uncetion no											
Address:		1										
City: 3 LOCATE WELL	5	State:	ZIP:									
	WITH "X" IN 4 DEPTH OF COMPLETED WELL:						ft. 5 Latitude: (decimal degrees)					
SECTION BOX:	X:Depth(s) Groundwater Encountered: 1)2)					Longitude:(decimal degrees)						
Ν	WELL'S ST			Datum: 🗌 WGS 84 🔄 NAD 83 📄 NAD 27								
	\square below lat			Source for Latitude/Longitude:								
NW NE	above la			$(WAAS enabled? \square Yes \square No)$								
	Pump test data: Well water was ft.					Land Survey Topographic Map						
W E	after	after hours pumping gpm Well water was ft.					Online Mapper:					
SW SE	after hours pumping gpm											
	Estimated Yi	or or		6 Elevation:ft. Ground Level TOC								
S	Bore Hole Diameter: in. to ft. and					Source: Land Survey GPS Topographic Map						
	1 mile in. to ft.											
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
☐ Household												
🗌 Lawn & Garden												
Livestock	8. 🗌 Monitoring: well ID							al: how many bores				
2. Irrigation	9. Environmental Remediation: well ID				••	a) Closed Loop						
 3. ☐ Feedlot 4. ☐ Industrial 							b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Steinless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft. o ft. o ft. o ft.												
Grout Intervals: From												
Nearest source of possible		n: No	potential source of co	ntamination	withi	n 200 ft.			11.			
Septic Tank		ateral Line	s 🗌 Pit Privy		🗌 Li	ivestock Pe		☐ Insectio	cide Storage			
Sewer Lines		ess Pool	Sewage L			uel Storage			oned Water			
U Watertight Sewer Lin		eepage Pit			∐ Fe	ertilizer Sto	orage	∐ Oil We	ll/Gas Well			
Direction from well? ft.												
10 FROM TO		THOLOG		FROM		TO		HO. LOG (cont.) or		G INTERVALS		
				_								
				Notes:								
11 CONTRACTOR'S												
under my jurisdiction an Kansas Water Well Con	d was comple	eted on (m	no-day-year)	ai	nd th	is record i	1s tru	te to the best of m	y knowled	ge and belief.		
under the business name												
						• • • • • • • • • • • • •		••••••••••••••••••••••				
KS Department of Health a	Send one copy to	WATER W	ELL OWNER and retain	n one for your	record	ls. Fee of \$5	5.00 f	or each constructed we	211.			