

USE TYPEWRITER OR BALL
POINT PEN—PRESS FIRMLY,
PRINT CLEARLY.

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

Cornett#1-6

1. Location of well: <div style="border: 1px solid black; padding: 2px; display: inline-block;"> County Meade </div>		Fraction <div style="border: 1px solid black; padding: 2px; display: inline-block;"> 1320' FEL 2310 FSL 1/4 N 1/2 E 1/4 </div>		Section number <div style="border: 1px solid black; padding: 2px; display: inline-block;"> 6 </div>		Township number <div style="border: 1px solid black; padding: 2px; display: inline-block;"> 33S </div>		Range number <div style="border: 1px solid black; padding: 2px; display: inline-block;"> 26W </div>											
2. Distance and direction from nearest town or city: From stoplight in Meade go 9mi East on Hwy 160 then 5mi south 1/4 Mi east				Owner of well: Sage Drilling Company															
Street address of well location if in city: 13 1/4 mi South then Southwest to lect.				R.R. or street: 222 Sutton Place															
				City, state, zip code: Wichita, Kansas 67202															
4. Locate with "X" in section below: <div style="display: flex; align-items: center; margin-top: 10px;"> <div style="flex: 1;"> </div> <div style="flex: 1;"> Sketch map: <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> 9mi EAST meade Hwy 160 5mi South 1/4 mi S </div> </div> </div>				6. Bore hole dia. 9 in. Completion date June 16, 79 Well depth 80 ft.															
5. Type and color of material <table border="1" style="width:100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width:80%;">Material</th> <th style="width:10%;">From</th> <th style="width:10%;">To</th> </tr> </thead> <tbody> <tr> <td>Surface</td> <td>0</td> <td>2</td> </tr> <tr> <td>Medium to large sand</td> <td>2</td> <td>37</td> </tr> <tr> <td>Red bed</td> <td>37</td> <td>80</td> </tr> </tbody> </table>				Material	From	To	Surface	0	2	Medium to large sand	2	37	Red bed	37	80	7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
Material	From	To																	
Surface	0	2																	
Medium to large sand	2	37																	
Red bed	37	80																	
8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other				9. Casing: Material <input type="checkbox"/> Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 28 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 2.78 lbs./ft. Dia. 5 in. to 25 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 256															
10. Screen: Manufacturer's name Saved perf. Type PVC Dia. 5" Slot/gauze <input type="checkbox"/> Length 43 Set between 35 ft. and 80 ft. <input type="checkbox"/> ft. and <input type="checkbox"/> ft.				11. Static water level: 28 ft. below land surface Date 6-16-79															
12. Pumping level below land surfaces: <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 50 g.p.m.				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date															
14. Well head completion: <input type="checkbox"/> Pitless adapter 28 inches above grade				15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.															
16. Nearest source of possible contamination: 100 ft. Direction NE Type Oilwell Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other															
18. Elevation: 2310 ft Topography: (W) <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley				19. Remarks: <div style="font-size: 2em; font-family: cursive;"> TOPO 2310 ft </div>															
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Carlile Water Well Service Business name Box AA Liberal, KS. 67055 License No. 67055 Address Edward E. Means Date 6-22-79 Signed Edward E. Means Authorized representative															

Form WWC-5

MI-1023

39847

Loc. T 33 R 26 S 6 D A B Fid. Chk. 40Topp. Profile Lake NW L.S. El. 2320⁽⁶²⁾ by 7/11Bedrock Depth To 37 by 7/11 Elev. 2273

Water Table Depth To _____ Elev. _____

Water SPL. Coll. by _____ Anal. by _____

D W R # _____ Aquifer _____

Remarks _____

$$\begin{array}{r} 2310 \\ 37 \\ \hline 2273 \end{array}$$
