


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Meade	Fraction NW 1/4 SE 1/4 NW 1/4	Section number 10	Township number T 33 S	Range number R 27 E
Distance and direction from nearest town or city: 4 1/4 E, 6 1/2 S, 1/4 E, 1/4 N of Meade Street address of well location if in city:			3. Owner of well: X Plor Drilling Co. R.R. or street: 453 So. Webb Rd. City, state, zip code: Box 18611 Wichita, Kansas 67200			
Locate with "X" in section below: Sketch map: 			6. Bore hole dia. 7 7/8 in. Completion date 9-02-78 Well depth 314 ft.			
5. Type and color of material			7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary <input type="checkbox"/>			
			8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other <input type="checkbox"/>			
			9. Casing: Material <input type="checkbox"/> Height: Above or below <input checked="" type="checkbox"/> Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 2.8 lbs./ft. Dia. 5 in. to 314 ft. depth; Well Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth; Page No. X .265			
			10. Screen: Manufacturer's name Jesse Howell Type PVC Dia. 5" Slot/gauze 1/8" Length 90' Set between 224 ft. and 314 ft. ft. and ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material <input type="checkbox"/>			
			11. Static water level: 149 ft. below land surface Date 9-01-78 mo./day/yr.			
			12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 15 g.p.m.			
			13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>			
			14. Well head completion: 24 inches above grade Pitless adapter <input type="checkbox"/>			
			15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Depth: From 0 ft. to 10 ft.			
			16. Nearest source of possible contamination: None ft. 100x Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
			17. Pump: Rental Not installed Manufacturer's name Aermotor Model number SE50 HP 5 Volts 220 Length of drop pipe 232 ft. capacity 50 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
			(Use a second sheet if needed)			
18. Elevation: 2450 ft.		19. Remarks: 2450 149 230'		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Friesen Windmill 252 Business name License No. Address Meade, Kansas 67864 Signed [Signature] Date 11-21-78 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5