							Number	I Hange Nii	ımber
OCATION OF W.		Fraction WWW/4	SWA	NE By	Section Number 2 4	Township T 33	S	Range Nu	B(W)
	on from nearest town		dress of well if I		ity?	1 100		11 -	
	8 East of				,				
	WNER: Clinton								
f, St. Address, B		5 100 1001				Board of	Agricultura F	Niviolog of Woton	Passura
State, ZIP Code		120 1	78717				on Number:	Division of Water	nesource
	LOCATION WITH 4			120	. E. E.				
N "X" IN SECTION	ON BOX:	epth(s) Groundw	ater Encountere	ed 1	. S ft.	2 9.4	ft. 3		ft.
ı İ	T I W					rface measured			
NW	NE	Pump	test data: Well	l water was	. 8.7 ft.	after	hours pui	mping !S	gpn
	 					after			
w	l B	ore Hole Diamete	er 6 . 4 i	n. to / . 2	2.0ft.,	and	in.	to	ft
" !	I I W	ELL WATER TO	BE USED AS:	5 Public	water supply	8 Air conditioning	•	njection well	
sw	- 5	Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12 (Other (Specify b	elow)
3\'	- %	2 Irrigation	4 Industria	ıl 7 Lawn a	and garden only	10 Monitoring w	ell		
i	l w	/as a chemical/ba	acteriological sar	mple submitted	to Department? \	/esNo	; If yes,	mo/day/yr samp	le was su
	S m	itted			W	ater Well Disinfed	ted? Yes	No	
YPE OF BLANK	CASING USED:		5 Wrought iron	8 C	oncrete tile	CASING J	OINTS: Glued	🋂 Clampe	ed
1 Steel	3 RMP (SR)		6 Asbestos-Cer	ment 9 Of	ther (specify belo	ow)	Welde	ed	
(2)PVC	4 ABS		7 Fiberglass					ded	
•	er .5 in.		,			•			
ing height above	land surface	. 7.4 ii	n., weight			./ft. Wall thicknes	s or gauge No	50K 21	2001P
E OF SCREEN	OR PERFORATION I	MATERIAL:		\mathcal{C}	Pvc	10 A	sbestos-ceme	nt	
1 Steel	3 Stainless s	teel	5 Fiberglass	8	RMP (SR)	11 0	ther (specify)		
2 Brass	4 Galvanized		6 Concrete tile	9	ABS	12 N	one used (ope	en hole)	
EEN OR PERF	ORATION OPENINGS		5	Gauzed wrappe	ed	Saw cut		11 None (oper	hole)
1 Continuous s	slot 3 Mill :	slot	6	Wire wrapped		9 Drilled holes	3		
2 Louvered shu	utter 4 Key	punched	7	Torch cut		10 Other (spec	ifv)		
REEN-PERFORA	TED INTERVALS:	From			2. <i>Q</i> ft., Fro	om		.	
REEN-PERFORA	TED INTERVALS:	From	<i>!00</i> ft. ft.	to	ft., Fro	om	ft. to) <i></i>	
	TED INTERVALS:	From	<i>!00</i> ft. ft.	to	ft., Fro	om	ft. to) <i></i>	
GRAVEL P	PACK INTERVALS:	From From.	100 ft. ft. 50 ft. ft.	to		om	ft. to)	
GRAVEL P	PACK INTERVALS: AL: 1 Neat cer	From From ment	100 ft	to	2.0 ft., Fro ft., Fro entonite 4	omom omom	ft. to)	
GRAVEL P	PACK INTERVALS:	From From ment	100 ft	to	2.0 ft., Fro ft., Fro entonite 4	omom omom	ft. to)	
GRAVEL P GROUT MATERIA ut Intervals: Fr	PACK INTERVALS: AL: 1 Neat cer	From From From ment &	100 ft	to	2.0 ft., Fro tt., Fro tt., Fro entonite 4 ft. to \$0	omom omom	ft. to)	
GRAVEL P GROUT MATERIA ut Intervals: Fr	PACK INTERVALS: AL: 1 Neat cer rom	FromFromFrom ment toHHH	7 Pit priv	to	2.0 ft., Fro ft., Fro entonite 4 ft. to 50	om	ft. tcft. tcft. tcft. tc	. ft. to	
GRAVEL P GROUT MATERIA LI Intervals: Fr It is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS: AL: 1 Neat cer rom. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	FromFrom ment to	700 ft. 50 ft. ft. 70cement grout ft., From .	to	ft., From the ft., From the ft., From the ft. to. 50 10 Live 11 Fuel 12 Ferting 12 Ferti	om	ft. to ft	oft. to	
GRAVEL P GROUT MATERIA at Intervals: Fr it is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag	FromFrom ment to	7 Pit priv	to	ft., From the ft., From the ft., From the ft. to 50 to 10 Live 11 Fuel 12 Ferting 13 Inse	om	14 At 15 Oi 16 Oi	oft. to	
GRAVEL P GROUT MATERIA at Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well?	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag	FromFromFrom ment toFontamination: lines cool e pit	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GROUT MATERIA to Intervals: From the second secon	PACK INTERVALS: AL: 1 Neat cer rom. 100 mt. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE	FromFrom ment to	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Oi	oft. to	
GRAVEL P GROUT MATERIA Intervals: From the is the nearest of the second	PACK INTERVALS: AL: 1 Neat cer rom. 10.0 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE	FromF	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GROUT MATERIA LIT Intervals: Fr LIT is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? LIT INC.	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GROUT MATERIA tut Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se action from well? ROM TO 0 5 40 40 72	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Topsell Sand + G byown Cla	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GROUT MATERIA to Intervals: From the second secon	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Topsell Sand + 9 byown class	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GROUT MATERIA to Intervals: From the is the nearest of the second seco	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GROUT MATERIA Intervals: From the is the nearest of the second	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9 brawn cla Sand brawn cla Sand	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GROUT MATERIA Intervals: Fr It is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO ST 40 7 7 85	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + g brown cla	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GRAVEL P GROUT MATERIA Intervals: Fr It is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O 5 40 7 7 85 94 165	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9 brawn cla Sand brawn cla Sand	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GRAVEL P GROUT MATERIA Intervals: Fr It is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O 5 40 7 7 85 94 165	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9 brawn cla Sand brawn cla Sand	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GRAVEL P GROUT MATERIA Intervals: Fr It is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O 5 40 7 7 85 94 165	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9 brawn cla Sand brawn cla Sand	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P ROUT MATERIA It Intervals: Fr t is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 5 40 7 7 85 9 9 9 165	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9 brawn cla Sand brawn cla Sand	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GRAVEL P GROUT MATERIA Intervals: Fr It is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O 5 40 7 7 85 94 165	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9 brawn cla Sand brawn cla Sand	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr. ins	oft. to	
GRAVEL P GRAVEL P GROUT MATERIA Intervals: Fr It is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O 5 40 7 7 85 94 165	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9 brawn cla Sand brawn cla Sand	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr.	oft. to	
GRAVEL P GRAVEL P GROUT MATERIA Intervals: Fr It is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O 5 40 7 7 85 94 165	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9 brawn cla Sand brawn cla Sand	From	7 Pit priv 8 Sewag 9 Feedya	to	ft., From the ft., From the ft., From the ft. to 50 ft., From the ft	om	14 At 15 Oi 16 Or 5 Pr.	oft. to	
GRAVEL P GROUT MATERIA Intervals: Fr It is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 5 40 77 7 85 7 99 7 155 7 120	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Topsell sand + a brown cla sand red bed	From	7 Pit priv 8 Sewag 9 Feedys	to	ft., From the ft., From the ft., From the ft. to the ft.	om	14 At 15 Oi 16 Oi 5 prim	ft. to	ftftftftft
GRAVEL P GRA	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Topsell Sand + 9 brown cla Sand red beck GOR LANDOWNER'S	From	7 Pit priv 8 Sewag 9 Feedys	to	ft., From the ft., From the ft., From the ft. to the ft.	om	14 At 15 Oi 16 Oi 5 prim	ft. to	ftftftftft
GRAVEL P GROUT MATERIA Intervals: Fr It is the nearest Septic tank Septic tank Septic tank Septic tank Septic tank Sewer lines Watertight section from well? OM TO Septic tank	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Tapsell Sand + 9 brawn cla Sand brawn cla Sand	From	7 Pit priv 8 Sewag 9 Feedys	to	tt., From tt., F	om	ft. to ft	ft. to	n and wa
GRAVEL P ROUT MATERIA It Intervals: Fr It is the nearest Septic tank Sewer lines Watertight section from well? M TO ST MO M TO	PACK INTERVALS: AL: 1 Neat cer rom. 100 ft. source of possible co 4 Lateral 5 Cess po ewer lines 6 Seepag SE Topsell Sand + 9 brown cla Sand red beck GOR LANDOWNER'S	From	7 Pit priv 8 Sewag 9 Feedya	to	tt., From tt., F	om	ft. to ft	oft. to	n and wa