WATER WELL RECOR	ED	Form W	WC-5	Division of Wa	ter Resources App. N	0.	
1 LOCATION OF WATER County:	WELL:	Fraction VE14 V	W/4 NW/4	Castian Number			
Street/Rural Address of We	if unknown, distance	& direction	Global Positionia	ng System (GPS) ir	formation:		
from nearest town or inters	vner's address, check here		Latitude: (in decimal degrees)				
& Miles Sout	niles East	liles East of Meade					
			<u></u> <u></u>				
2 WATER WELL OWNER: Clint staller				Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box	To aller	J.	Collection Method:				
City, State, ZIP Code	290 th Road		☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : Satanta, KS 67870 Digital Map/Photo, Topographic Map, Land Est. Accuracy: Satanta, KS 67870 Digital Map/Photo, Topographic Map, Land Est. Accuracy: S01.0016/j.com/">Satanta, KS 67870 Digital Map/Photo, Topographic Map, Land Est. Accuracy: S01.0016/j.com/">Satanta, KS 67870 Digital Map/Photo, Topographic Map, Land Est. Accuracy: S01.0016/j.com/">S01.0016/j.com/ Satanta, KS 67870							
3 LOCATE WELL							
			COMPLETED WELL 205 ft.				
SECTION BOX: Dep							
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
Pump test data: Well water wasft. after hours pumpir						ping gpm	
NW NE ESI	5gpm. Well water wasft. after hours pumping						
W Bore Hole Diameter							
M Domostia							
SW SE Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected?							
5 TYPE OF CASING USED: Steel YPVC Other							
CASING JOINTS: Glued □ Clamped □ Welded □ Threaded							
Casing diameter 5 in. to 205. ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight lbs./ft., Wall thickness or gauge No. 201.							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key nunched Wire wrapped Saw out Other (specify)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to ft.							
From							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout 🏲 Bentonite ☐ Other							
Grout Intervals: From							
	What is the nearest source of possible contamination:						
☐ Septic tank☐ Sewer lines	es Pit privy Sewage lagoon	☐ Livestock p		le storage	er (specify below)		
	it Feedyard	Fertilizer st					
Direction from well	TONE	observed				• • • • • • • • • • • • • • • • • • • •	
	LITHOLOG		FROM	TO LITHO. I	OG (cont.) or PLU	GGING INTERVALS	
0 5 701500	J						
5, 21 Chlic	(e .						
21 45 Sand 45 97 Sand	# Clay						
45 97 Sand	marel	& white Chy					
97 139 Red B	00	7					
139 163 Kel Se	1 (Very	Hard					
163 205 Clay w/	Sand 5	tresks	ļ				
7 CONTRACTORS OF LANDOWNERS CERTIFICATION TO THE STATE OF							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, \Box reconstructed, or \Box plugged under my jurisdiction and was completed on (mo/day/year)?							
Kansas Water Well Contractor's License No This Water Well Record was completed on mo/day/year)							
under the business name of							
INSTRUCTIONS: Use typewriter or	ball point pen.	PLEASE PRESS FIRML	Y and PRINT cle	arly. Please fill in blant	s and check the correct	answers Send three conies	
(white, blue, pink) to Kansas Departn	nent of Health :	and Environment, Bureau	of Water, Geolo	gy Section, 1000 SW J	ackson St., Suite 420, 7	Copeka, Kansas 66612-1367	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .							
KSA 82a-1212							