| • | | WAT | ER WELL RECORD | Form WWC-5 | KSA 82a- | 1212 | |
|---|------------------|--------------------------|----------------------------|-----------------------------|---------------------------------------|--------------------------------|--|
| 1 LOCATION OF WATER WE County: Meade | ELL Frac | tion NE 1/4 | NE 1/4 | Section 3 | Number | Township Number | Range Number R 28 E/W |
| Distance and direction from ne | | | | 1 | of well if l | ocated within city? | |
| 5 South of Meade | | hweet | Gas Storage | I | | | |
| 2 WATER WELL OWNER: | | | g Div. c/o Ron | Ohee | | Board of Agricultura | Division of Mater Becourses |
| RR#, St. Address, Box # | | | eade, Ks. 67864 | | | Application Number | e, Division of Water Resources |
| City, State, ZIP Code 3 DEPTH OF COMPLETED | | | | | 15 | | |
| | | blic water | | 8 Air condition | | 11 Injection we | |
| Well Water to be used as: | | field water | supply r supply | | | | |
| 1 Domestic 3 Feedlot | | wn and ga | rden only | 9 Dewatering 10 Observation | well | Commerc | cial |
| 2 Irrigation 4 Industrial Well's static water level | 400 # | wii aliu ya below lan | d surface measured on | August | mo: | nth 8 | |
| Pump Test Data | | | | | | | gpm |
| Est. Yield 70 g | | ater was | ft. after | | | hours pumping | gpm |
| 4 TYPE OF BLANK CASING | | | | 8 Concrete | tile | XXXCasing Joints: Glu | gpm ued .XClamped |
| | | | 6 Asbestos-Cement | | | _ | elded |
| | | | ′ _ _ | | - . | | elded |
| Blank casing dia 5 | in. to . | 114 | ft., Dia 5 | in. to . | 134-15 | t ft., Dia | in. to ft |
| Blank casing dia 5 Casing height above land surf | ace | 12 | in., weight | 2.8 | Ibs./ | ft. Wall thickness or gauge | • No • 265 |
| TYPE OF SCREEN OR PERF | | | | XXX PVC | | 10 Asbestos-cer | |
| | Stainless steel | | 5 Fiberglass 8 RMP | | SR) 11 Other (specify) | | y) |
| | Galvanized ste | eel | 6 Concrete tile | 9 ABS | | 12 None used (| open hole) |
| Screen or Perforation Opening | | | 5 Gauze | ed wrapped | X | Saw cut | 11 None (open hole) |
| 1 Continuous slot | 3 Mill slot | | 6 Wire wrapped | | 9 Drilled holes | | |
| | 4 Key punched | | 7 Torch cut | | 10 Other (specify) | | |
| Screen-Perforation Dia 5 | in. to | 13 | 54 ft., Dia | 🕱 in. to : | XXXXXX | ft., Dia | in to |
| Screen-Perforated Intervals: | From | 114. | ft. to 134 | ft., | From | ft. to | |
| | From | | ft. to | ft., | From | ft. to | |
| Gravel Pack Intervals: | From | | ft. to154 | ft., | From | ft. to | |
| | From | | ft. to | ft., | From | ft. to | ft. |
| 5 GROUT MATERIAL: XXX | 1 Neat cemen | nt | 2 Cement grout | 3 Bentonite | 9 4 (| Other | |
| Grouted Intervals: From 4 | ⊦ ft. t | to 14 . | ft., From | ft. to | o | ft., From | ft. to |
| What is the nearest source of possible contamination: | | | | | 3 | | Abandoned water well |
| 1 Septic tank | 4 Cess pool | | 7 Sewage lagoon | | | er storage 15 | |
| 2 Sewer lines | 5 Seepage pit | | 8 Feed yard | | | icide storage XXX6 | |
| 3 Lateral lines | 6 Pit privy | | • . | | | Watertight sewer lines . Creek | |
| Direction from well | | | | | | | |
| Was a chemical/bacteriologica | l sample subm | itted to De | partment? Yes | | No | XXX | If yes, date sample |
| was submitted | | | | your. I un | potaec | | |
| If Yes: Pump Manufacturer's | name. Iney | Lusta | Ted TheTL OMT | . Model No | | НР | Volts |
| Depth of Pump Intake | | | π. | Pumps Capacit | y rated at . | 5 Di | gal./min. |
| Type of pump: 6 CONTRACTOR'S OR LAN | 1 Submersible | | | 3 Jet | | ifugal 5 Reciproca | |
| completed on | | | | | | | |
| | | | | | | 252 | year |
| and this record is true to the | pest of my know | wiedge and | o bellet. Kansas water v | veil Contractors, | licerise No | 1080 | |
| This Water Well Record was name of Friesen | completed on | Lamen . | y Inc. | by (signature) | 1784 | day | year under the business |
| | | LOTO | A TUG. | SIC LOG | FROM | ТО | LITHOLOGIC LOG |
| 7 LOCATE WELL'S LOCATI WITH AN "X" IN SECTION | 011 | 5 | Fill Dirt | | 1 | | |
| BOX: | 5 | 12 | m | | | | |
| И | 12 | 22 | Fine Sand | | | | |
| i x | 22 | 46 | Clay | | | | |
| NW NE | 46 | 65 | Med to Lar Sa | nd | | | |
| ¥ W 1 1 E | (- | 83 | Clay with Str | | 1 | | |
| ž W | 83 | 90 | Fine Sand | ANTO OT OO | | | |
| SW SE | 90 | 105 | Clay | | | | |
| | 105 | 135 | Med. to Lar. | S and | | | The second section of the second second second section is a second second section of the second section of the second section is a second section of the section of the second section of the section of the second section of the se |
| S NAME | 135 | 160 | Black Sand an | | | | |
| ELEVATION: Slope | | 1.00 | | | 1 | | |
| Depth(s) Groundwater Encountry | ntered 1 | Not aw | ailable #3 | ft 4 | · · · · · · · · · · · · · · · · · · · | (I lea a second | sheet if needed) |
| | | | | | | | |
| INSTRUCTIONS: Use typewricopies to Kansas Department | of Health and Er | vironment | , Division of Environment, | Water Well Conti | ractors, Top | eka, KS 66620. Send one to | WATER WELL OWNER and |
| retain one for your records. | | | | | | | |