


1 LOCATION OF WATER WELL: County: Meade		Fraction SE 1/4 NW 1/4 NE 1/4	Section Number 3	Township Number T 33 S	Range Number R 28 E/W
Distance and direction from nearest town or city street address of well if located within city? 5 South, 1/4 W, 1/4 South of Meade, Ks.					
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Southwest Gas Storage Friesen 2-3 Box 959 Meade, Kansas 67864 Board of Agriculture, Division of Water Resources Application Number: ----			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"></div>		4 DEPTH OF COMPLETED WELL: 186 ft. ELEVATION: Slope Depth(s) Groundwater Encountered 1. Not available ft. 2. 3. WELL'S STATIC WATER LEVEL 111 ft. below land surface measured on mo/day/yr May 29, 1981 Pump test data: Well water was 50 gpm after 7.7/8 in. hours pumping 186 ft. gpm Est. Yield 50 gpm : Well water was 7.7/8 in. hours pumping 186 ft. gpm Bore Hole Diameter 7.7/8 in. to 186 ft. , and 186 in. to 186 ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot XXX Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes XX ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes XXX No			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) XXX PVC 4 ABS Blank casing diameter 5 in. to 156 ft. Dia 156 in. to 156 ft. Dia 156 in. to 156 ft. Casing height above land surface 12 in. , weight 2.8 lbs./ft. Wall thickness or gauge No. 265		CASING JOINTS: Glued XX Clamped Welded Threaded TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped XXX Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 156 ft. to 186 ft. , From 186 ft. to 186 ft. GRAVEL PACK INTERVALS: From 14 ft. to 186 ft. , From 186 ft. to 186 ft.			
6 GROUT MATERIAL: XX Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 4 ft. to 14 ft. , From 14 ft. to 14 ft. , From 14 ft. to 14 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage XX Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? Southeast How many feet? 150					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) XXXXXX 1981 May 29, 1981 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/year) June 4, 1981 under the business name of Friesen Windmill & Supply, Inc. by (signature) [Signature]					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blank, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					