WATE	R WEI	L RECORD	Form W	WC-5	Di	ivision of Wate	r Resources App. No	0.	
			Fraction			on Number	Township No.	Range Number	
	ty: Mea		NEW NW 1/ NW			1		R 28 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here									
					Long	Longitude: 100 18.51.41 (in decimal degrees)			
5 South + 12 East from Meade					Eleva	Elevation:			
2 WATER WELL OWNER: Stanley Loewen					Collec	Collection Method:			
RR#, Street Address, Box #: POBOX 236						GPS unit (Make/Model: Garmin GPSmap60			
City, State, ZIP Code : Meade, KS 67864						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey <u>Est. Accuracy</u> : ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 192 ft.									
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 1.92								
SEC	N WELL'S STATIC WATER LEVEL134ft. below land surface measured on mo/day/yr.3/15/10								
Pump test data: Well water was .134ft. after									
EST, YIELD. 50gpm. Well water wasft. after hours pumping									
W									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes V No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☑ Yes □ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Continuous slot Win slot Gauze wrapped Forch cut Drifted notes None (open note) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From									
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well									
		North		D:-4		ell250.fee			
FROM	ТО	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0	3	brown clay topsoil							
3	18	tan clay							
18 30	30 90	cleachy					·		
90	170	brown sandy clay sand and gravel							
170	175	tan clay					·		
175	192	sand and gravel				Ori	ginal Returns	ed to Sender	
						1	_	Date: 7/15/10	
						101	Correction	Date. 110110	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 2 constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .3/18/2019 and this record is true to the best of my knowledge and belief.									
under my jurisdiction and was completed on (mo/day/year) .9/10/2019 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No1.0.1									
under the business name of Bartel Well Drilling, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									