

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Meade	SW 1/4 SE 1/4 NW 1/4	36	T 33 S	R 29 E/W

Distance and direction from nearest town or city street address of well if located within city? **From Meade Lake go 2mi South 1mi**

East 1mi South East into location.

2 WATER WELL OWNER: Sage Drilling	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: 222 Sutton Place	Application Number: T 81-401
City, State, ZIP Code: Wichita, Kansas 67202	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 320 ft. ELEVATION:			
	Depth(s) Groundwater Encountered 1. 257 ft. 2. ft. 3. ft.			
	WELL'S STATIC WATER LEVEL 63 ft. below land surface measured on mo/day/yr 6/13/81			
	Pump test data: Well water was ft. after hours pumping gpm			
	Est. Yield 60 gpm: Well water was ft. after hours pumping gpm			
	Bore Hole Diameter 9 in. to 320 ft., and in. to ft.			
WELL WATER TO BE USED AS:				
1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Observation well	
Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes No		

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 5 in. to 240 ft., Dia			Threaded
Casing height above land surface 28 in., weight 2.78 lbs./ft. Wall thickness or gauge No. 256			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:		From 240 ft. to 320 ft.	From ft. to ft.
GRAVEL PACK INTERVALS:		From 140 ft. to 320 ft.	From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
GROUT INTERVALS:	From 0 ft. to 10 ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well: Northeast			How many feet? 100	

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	surface			
2	26	clay			
26	168	clay with blue clay			
168	246	blue clay			
246	320	fine sand with medium to large sand mixed			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) June 13, 1981 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 118 This Water Well Record was completed on (mo/day/yr) June 17, 1981 under the business name of Carlile Water Well Service, Inc. by (signature) Edward E. Means

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

33

H

29

E/W

SEC.

36

S

W

1/4

1/4

1/4