

County: Meade Fraction SE SW NE Sec. 6 T 33 S R 29 E (W)

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: Evans Energy LLC

Location was listed as:

Section-Township-Range: 6-33 S-29 W

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): None Given

Location changed to:

6-33 S-29 W

SE SW NE

Other changes: Initial statements: Written directions unclear.

Changed to: From Liberal: 11 mi. NE on Hwy 54, 12.5 mi. E. on Meade Lake Rd., 2.5 mi. N. on 9 Rd., 0.25 mi. W. into property.

Comments: Associated oil well, Angell 4-6, is located at W2 SE SW NE 6-33 S-29 W.

Verification method: Written & legal descriptions, location of associated oil well, and mapping tool & aerial photos on KGS website.

initials: DRJ date: 12/10/2013

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: MEADE, COUNTY		Fraction <div style="display: flex; justify-content: space-around;">1/41/41/41/4</div>		Section Number 6	Township No. T 33 S	Range Number R 29 <input type="checkbox"/> E <input checked="" type="checkbox"/> W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here <input type="checkbox"/> liberal ks; on hwy 54 to mead lake rd. e on rd 9 go on aprox 2 1/2 to 2 3/4 miles w to loc				Global Positioning System (GPS) information: Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation: Datum: <input type="checkbox"/> WGS 84, <input type="checkbox"/> NAD 83, <input type="checkbox"/> NAD 27 Collection Method: <input type="checkbox"/> GPS unit (Make/Model:) <input type="checkbox"/> Digital Map/Photo, <input type="checkbox"/> Topographic Map, <input type="checkbox"/> Land Survey Est. Accuracy: <input type="checkbox"/> <3 m, <input type="checkbox"/> 3-5 m, <input type="checkbox"/> 5-15 m, <input type="checkbox"/> >15 m		
2 WATER WELL OWNER: EVANS ENERGY LLC RR#, Street Address, Box #: 3885 SW 110TH ST/PO BOX 8 City, State, ZIP Code : SPIVEY, KS 67142						
3 LOCATE WELL WITH AN "X" IN SECTION BOX: N <div style="display: flex; align-items: center; justify-content: center;"><div style="text-align: center;">NW NE SW SE</div><div style="text-align: center; margin: 0 10px;">X</div><div style="text-align: center;">E</div></div> S ----- 1 mile -----		4 DEPTH OF COMPLETED WELL 420 ft. Depth(s) Groundwater Encountered (1) 200 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 200 ft. below land surface measured on mo/day/yr. 10-23-12 Pump test data: Well water was 15 ft. after 1 hours pumping 100 gpm EST. YIELD 100 gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 10 3/4 in. to 420 ft., and in. to ft. WELL WATER TO BE USED AS: <input type="checkbox"/> Public water supply <input type="checkbox"/> Geothermal <input type="checkbox"/> Injection well <input type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input checked="" type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input type="checkbox"/> Other (Specify below) <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Domestic-lawn & garden <input type="checkbox"/> Monitoring well Was a chemical/bacteriological sample submitted to Department? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, mo/day/yr sample was submitted Water well disinfected? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
5 TYPE OF CASING USED: <input type="checkbox"/> Steel <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Other CASING JOINTS: <input checked="" type="checkbox"/> Glued <input type="checkbox"/> Clamped <input type="checkbox"/> Welded <input type="checkbox"/> Threaded Casing diameter .6 in. to 200 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface .24 in., Weight 4.074 lbs./ft., Wall thickness or gauge No. SDR 21-316 TYPE OF SCREEN OR PERFORATION MATERIAL: <input type="checkbox"/> Steel <input type="checkbox"/> Stainless Steel <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Other (Specify) <input type="checkbox"/> Brass <input type="checkbox"/> Galvanized Steel <input type="checkbox"/> None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: <input type="checkbox"/> Continuous slot <input type="checkbox"/> Mill slot <input type="checkbox"/> Gauze wrapped <input type="checkbox"/> Torch cut <input type="checkbox"/> Drilled holes <input type="checkbox"/> None (open hole) <input type="checkbox"/> Louvered shutter <input type="checkbox"/> Key punched <input type="checkbox"/> Wire wrapped <input checked="" type="checkbox"/> Saw cut <input type="checkbox"/> Other (specify) SCREEN-PERFORATED INTERVALS: From 320 ft. to 420 ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 200 ft. to 420 ft., From ft. to ft. From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Cement grout <input type="checkbox"/> Bentonite <input type="checkbox"/> Other Grout Intervals: From 1 ft. to 25 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: <input type="checkbox"/> Septic tank <input type="checkbox"/> Lateral lines <input type="checkbox"/> Pit privy <input type="checkbox"/> Livestock pens <input type="checkbox"/> Insecticide storage <input type="checkbox"/> Other (specify below) <input type="checkbox"/> Sewer lines <input type="checkbox"/> Cesspool <input type="checkbox"/> Sewage lagoon <input type="checkbox"/> Fuel storage <input type="checkbox"/> Abandoned water well <input type="checkbox"/> Watertight sewer lines <input type="checkbox"/> Seepage pit <input type="checkbox"/> Feedyard <input type="checkbox"/> Fertilizer storage <input type="checkbox"/> Oil well/gas well Direction from well Distance from well						
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS	
0	2	SURFACE				
2	28	CLAY				
28	42	SANDY CLAY				
42	54	SAND				
54	68	CLAY				
68	130	SAND				
130	140	SAND/CLAY STREAKS				
140	407	SAND				
407	420	CLAY/STREAKS OF SAND				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, <input type="checkbox"/> reconstructed, or <input type="checkbox"/> plugged under my jurisdiction and was completed on (mo/day/year) 10-23-12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 430 This Water Well Record was completed on (mo/day/year) 10-23-12 under the business name of Howard Drlg Co Box 806 Beaver Ok 73932 by (signature) <i>Paul Howard</i>						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html .						