


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Meade	Fraction SE 1/4 NE 1/4 NE 1/4	Section number 28	Township number T 33 S R 30 E/W	Range number
2. Distance and direction from nearest town or city: 7 1/4 S of Plains Kansas. Street address of well location if in city:			3. Owner of well: Dekalb Swine Breeders, Inc. R.R. or street: P.O. Box 614 City, state, zip code: Plains, Kansas 67869			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 24 in. Completion date 4-1-77 Well depth 300 ft.		
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
5. Type and color of material		From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input checked="" type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Fine sand		0	8	9. Casing: Material Stl Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 10 in. to 20 ft. depth Wall Thickness: inches 307 Dia. 10 in. to 240 ft. depth gage No. 188		
Tan clay caliche streaks		8	96	10. Screen: Manufacturer's name Doerr Type louver Dia. 10 Slot/gauze 1/8 Length 60 Set between 240 ft. and 300 ft. ft. and ft. Gravel pack? yes Size range of material 3.0 mm		
Fine to coarse sand		96	116	11. Static water level: 185 ft. below land surface Date 3-16-77		
Tan sandy clay		116	126	12. Pumping level below land surfaces not pumped ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.		
Fine to coarse sand		126	158	13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
Blue clay		158	200	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade		
Fine sand blue and tan clay streaks		200	220	15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 6 ft. to 100 ft.		
Blue and tan clay		220	238	16. Nearest source of possible contamination: unk ft. Direction Type Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Fine to coarse sand blue clay streaks (loose)		238	298	17. Pump: Manufacturer's name HPC Not installed Model number 6HHO HP 40 Volts 460 Length of drop pipe 260 ft. capacity 300 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
Blue clay sand streaks		298	344	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne-Western Co., Inc. 102 Business name License No. Address Garden City, Kansas Signed [Signature] Date 3 May 77 Authorized representative		
Sticky blue clay		344	380			
(Use a second sheet if needed)						
18. Elevation:		19. Remarks:				
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5