KOLAR Document ID: 1485802

WATER W				WWC-5	S.A.			ion of Wate			Well	m [	
Original Record Correction Change in Well Use  1 LOCATION OF WATER WELL: Fraction			30		Resources App. No. W Section Number Township Number					ge Number			
County:	01			1/4	1/4 1/2		20011	T S R DE DW					
2 WELL OV	VNER: La	st Name:		First:		Street or	treet or Rural Address where well is located (if unknown, distance and						
Business:						direction fi	irection from nearest town or intersection): If at owner's address, check here:						
Address: Address:													
City:			State:	ZIP:									
3 LOCATE V	VELL												
WITH "X"		4 DEPTH					ft.						
SECTION I	BOX:	Depth(s) Gr					1			e:			
N		WELL'S ST		3) TER I EVEI			1			WGS 84 □ NAI	_	_  N	AD 27
		below la								<u>Latitude/Longitude</u> unit make/model:			,
NW	NE	above la											
NW	X	_		vater was ft.				□L		Survey Topographic Map			
w	E	after		s pumpinggpm				☐ Online Mapper:					
SW	SE	oft an		ater was									
		Estimated Y		pumpinggpm				6 Elevation:ft. ☐ Ground Level ☐ TOC					
S				in. to ft. and			a			☐ Land Survey ☐ GPS ☐ Topographic Map			
1 mile-				in. t						Other			
7 WELL WA	TER TO	BE USED A	AS:										
1. Domestic:				ter Supply:						eld Water Supply: 16			
Household										le: well ID			
Lawn & G					charge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical  12. Geothermal: how many bores?					
☐ Livestock 2. ☐ Irrigation													
3. Feedlot			Air Sparge	al Remediation: well ID			••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. Industrial			Recovery		njection		13.  Other (specify):						
Was a chemic	al/bacteri	ological san	nple subm	itted to K	DHE? $\sqcap$	Yes $\square$ 1	No ]	If yes, date	e sar	nple was submitte	:d:		
Water well dis					_	_		•		1			
8 TYPE OF	CASING	USED: □ S	teel PV	C 🔲 Other		CA	SING	G JOINTS	:	Glued Clamped	d 🔲 We	lded	☐ Threaded
										in. to			
Casing height al					t	lbs.	ft.	Wall thick	kness	or gauge No		•••	
TYPE OF SCI			TION MAT	ΓERIAL:						7 (6)			
☐ Steel ☐ Brass	_	less Steel anized Steel			□ PVC	ised (open	hala)	☐ Oth	ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • • •	•••••
SCREEN OR			NINGS AI	RF.	☐ None (	iseu (open	noie)						
☐ Continuo		☐ Mill Slot		auze Wrappe	ed □ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
☐ Louvered		☐ Key Punch						ne (Open H		(-1 ),			
SCREEN-PER	RFORATE	D INTERVA	ALS: From	ı f	t. to	ft., Fro	m	ft. to	o	ft., From	ft	i. to .	ft.
GRA	VEL PAC	K INTERV	ALS: From	າ f	t. to	ft., Fro	m	ft. to	o	ft., From	f	t. to	ft.
	9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.												
				. ft., From . potential so	of oor	tt. to	thi	ft., From	••••	ft. to	ft.		
Nearest source  Septic Tan			Lateral Line		Pit Privy	itammatioi		in 200 it. ivestock Pe	ne	☐ Insection	cide Stor	rage	
Sewer Line			Cess Pool		Sewage La	igoon		uel Storage		☐ Abando			Vell
☐ Watertight	Sewer Line	es 🗆 S	Seepage Pit		Feedyard			ertilizer Sto					
☐ Other (Spe	ecify)												
					nce from w					ft.		313.16	S DIEEDII I G
10 FROM	TO		ITHOLOG	FIC LOG		FRON	1	TO	LH	HO. LOG (cont.) or	r PLUGO	JINC	INTERVALS
						+	+						
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged													
under my juris	under my jurisdiction and was completed on (mo-day-year)												
Kansas Water	Well Cont	tractor's Lice	ense No		. This Wa	ater Well	Reco	rd was cor	nple	ted on (mo-day-y	ear)		
under the busin	ness name	of	****	TT 1 011				1 5 22		or each <u>constructed</u> we		<u></u>	
KS Department	S of Health ar	end one copy to d Environment	OWATER W Bureau of W	ELL OWNEI Vater, Geolog	x and retain v Section 10	one for your 000 SW Jack	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	eil. 57. Telen	hone	785-296-3565
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> <a href="https://www.kdheks.gov/waterwell/index.html">KSA 82a-1212</a>													

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Terry & Mike Hamm
Doc ID	1485802

## Lithology

From	То	LithologicLog
0	2	surface
2	11	brown clay
11	49	brown-white clay, caliche
49	53	sand fine to med
53	97	brown clay
97	221	sand fine to med coarse
221	226	blue & brown clay
226	239	blue sand
239	262	blue clay
262	275	blue sand, thin blue clays
275	320	sand fine to small
320	346	sand fine to med, coarse
346	351	yellow clay
351	381	sand fine thin clay mixed
381	397	sand fine
397	425	sand fine to med
425	455	brown clay
455	470	sand fine to small
470	500	sand fine to small, few clay
500	521	sand fine, thin clay
521	534	sand fine to med, few coarse
534	546	brown clay lime rock
546	563	sand fine to med coarse
563	577	brown sandy clay, few sand

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Terry & Mike Hamm
Doc ID	1485802

## Lithology

From	То	LithologicLog
577	590	brown clay
590	611	brown clay
611	628	brown-red clay
628	640	red bed