Lease: Myers #1	WAT	ER WELL RECORD	Form WWC-5	KSA 82a	1212		
1 LOCATION OF WATER WELL:	Fraction			ion Number	Township Numb	· · · · · · · · · · · · · · · · · · ·	
County: Seward	SW 1		NE ¼	16		s R 31 E/W	
Distance and direction from nearest to			ed within city?	From Ki	smet go ½ n	ni East 1 5/8 mi	
South and West into							
	aine Myers		axton Pe	troleum	n.		
	08 North	Purdue			Board of Agric	ulture, Division of Water Resour	ces
City, State, ZIP Code : L	<u>iberal, K</u> a	ansas 67901				mber: T 86-281	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:							
_ N						ft. 3	
l ī						_{o/day/yr} 8/.5/.86	
NM NE						ours pumping gr	
						in. to	
# W 1 1 1 1 1 1 1 1 1	t I	TO BE USED AS:				11 Injection well	
7 1 1 1	1 Domestic		6 Oil field water		_	12 Other (Specify below)	
SW SE	2 Irrigation	•			-		
			-	-		.; If yes, mo/day/yr sample was s	
1 — — —	mitted	"basionological sample	Submitted to De	-	ter Well Disinfected?		,,,,
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concre			S: Glued Clamped	
1 Steel 3 RMP (6 Asbestos-Cement			•	Welded	
2 PVC 4 ABS	on)						
Blank casing diameter 5	in to 2	An a Dia	in 4n		4 Dia	Threaded	
Casing height above land surface		·					
		In., weight			-	_	
TYPE OF SCREEN OR PERFORATI			7 PVC		10 Asbesto		
1 Steel 3 Stainle		5 Fiberglass		P (SR)	·	specify)	• •
	nized steel	6 Concrete tile	9 ABS	-		sed (open hole)	
SCREEN OR PERFORATION OPEN			zed wrapped		8 Saw cut	11 None (open hole)	
1 Continuous slot 3	Mill slot		wrapped		9 Drilled holes		
	Key punched	7 Torch					
2 Louvered shutter 4 SCREEN-PERFORATED INTERVALS	S: From	. 240 ft. to .	320		n	ft. to	.ft.
	From	. 240 ft. to	320	ft., Froi	n	. ft. to	.ft. .ft.
	From	. 240 ft. to ft. to	320	ft., Froi	n	ft. to	.ft. .ft. .ft.
SCREEN-PERFORATED INTERVALS	From	. 240 ft. to	320	ft., Froi ft., Froi ft., Froi	ກ	. ft. to	.ft. .ft. .ft. ft.
SCREEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea	S: From From S: From From t cement		320 320 3 Bentor	ft., From ft., From tite 4	m m m M Other	ft. to	.ft. .ft. .ft. <u>ft.</u>
SCREEN-PERFORATED INTERVALS	S: From From S: From From t cement		320 320 3 Bentor	ft., From ft., From tite 4	m m m M Other	ft. to	.ft. .ft. .ft. <u>ft.</u>
SCREEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea	S: From From S: From From t cement .ft. to 10.		320 320 3 Bentor	ft., Froi ft., Froi nite 4 o	mm m Other tock pens	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Nea Grout Intervals: From 0	From S: From From From t cementt. to10.		320 320 3 Bentor ft. t	ft., Froi ft., Froi nite 4 o	mm m Other tock pens	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible 1 Septic tank 4 Lat	From S: From From From t cementt. to10.		320	ft., Froi ft., Froi nite 4 o	mm m Other tock pens	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible 1 Septic tank 4 Lat	From From From From t cement ft. to10. le contamination: teral lines ss pool	. 240 ft. to ft. ft. to ft. from 7 Pit privy	320	tt., Froi ft., Froi nite 4 o	m m Cother tock pens storage	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Cee 3 Watertight sewer lines 6 Second 1 Septic tank 4 Late 2 Sewer lines 5 Cee 3 Watertight sewer lines 6 Second 1 Septic tank 4 Late 2 Sewer lines 5 Cee 3 Watertight sewer lines 6 Second 1 Septic tank 5 Cee 3 Watertight sewer lines 6 Second 1 Septic tank 6 Second 1 Sec	From From From From t cement ft. to10. le contamination: teral lines ss pool		320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Cee 3 Watertight sewer lines 6 Second 1 Septic tank 4 Late 2 Sewer lines 5 Cee 3 Watertight sewer lines 6 Second 1 Septic tank 4 Late 2 Sewer lines 5 Cee 3 Watertight sewer lines 6 Second 1 Septic tank 5 Cee 3 Watertight sewer lines 6 Second 1 Septic tank 6 Second 1 Sec	From S: From From t cementt. to10. le contamination: teral lines ss pool epage pit		320	ft., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Cees 3 Watertight sewer lines 6 Septirection from well?	From From S: From From It cement It to10 It contamination: Iteral lines	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320 320 3 Bentor ft. t	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From	From From S: From From tt cement tt. to 1.0 le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIO	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From	From From S: From From tt cement tt. to10. He contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Nea Grout Intervals: From What is the nearest source of possible 1 Septic tank	From From S: From From tt cement tt. to10. He contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS 6 GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northwork FROM TO 0 2 Surf 2 8 sand 8 57 calic	From From S: From From t cement tt. to 10. le contamination: teral lines ss pool epage pit rest of wa LITHOLOGIC ace ly clay	. 240 ft. to ft. ft. to ft. ft. from ft., From 7 Pit privy 8 Sewage lag 9 Feedyard .ter well	320320	tt., Froi ft., Froi nite 4 o	m	ft. to	.ft. .ft. .ft. <u>ft.</u>
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Nea Grout Intervals: From 0 What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northworthworth TO 0 2 surfe 2 8 sand 8 57 calice 57 320 fine	From From S: From From It cement It to 10 It contamination: Iteral lines Iteral	. 240	320	inte 4 io	m Other tock pens storage zer storage ticide storage ny feet? 165 LIT	ft. to	.ftftftft
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Nea Grout Intervals: From. 0 What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northworthworth TO 0 2 surfe 2 8 sand 8 57 calice 57 320 fine	From From S: From From It cement It cement It to 10 It contamination: Iteral lines Iteral lines INTHOLOGIC ITHOLOGIC	. 240	320	tt., From tt., F	m The contract of the contrac	ft. to	.ftftftft
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Nea Grout Intervals: From. 0 What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Cees 3 Watertight sewer lines 6 Septirection from well? Northworthworthworthworthworthworthworthw	From From S: From From It cement It to 10 Ille contamination: Iteral lines Iss pool Iteral lines INTHOLOGIC INTERIOR OF WAR INTHOLOGIC INTERIOR OF WAR INTERI	. 240	320	tt., From tt., F	onstructed, or (3) plug	ft. to	.ftftftftft.
GRAVEL PACK INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Nea Grout Intervals: From. 0 What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septirection from well? Northworthworth TO 0 2 surfe 2 8 sand 8 57 calice 57 320 fine	From From S: From From S: From From It cement It cement It to 10 It contamination: Iteral lines Iteral line	. 240 ft. to ft. ft. to ft., From 7 Pit privy 8 Sewage lag 9 Feedyard well cluster well cluster well cluster well cluster ft. ft. ft. ft. ft. ft. ft. ft. ft	320	tt., From tt., F	onstructed, or (3) plug ord is true to the best con (mo/day/yr) Au	ft. to	.ftftftftft.

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.