			m WWC-5			sion of Wate			MW-5	
			hange in Well Use			irces App. N		Well ID		
		VATER WELL:	Fraction			ion Numbe			ige Number	
	: Seward		SE 1/4 SE 1/4 SE			4	T 33 S		1 □ E ■ W	
2 WELL	OWNER:	Last Name:	First:				where well is located			
Business:	Brian & A	manda Kisner		direction	ion from nearest town or intersection): If at owner's address, check here:					
Address: 305 Main St (south of east end of long drive)										
City: Kismet State: KS ZIP: 67859										
3 LOCATI					_	T	07.400			
	4 DEPTH OF COMPLETED WELL:									
	CTION BOX. Depth(s) Groundwater Encountered: 1) ft. Longitu							.02 <u>7.</u>	(decimal degrees)	
	2)						ontal Datum: WGS		83 □ NAD 27	
	WELL'S STATIC WATER LEVEL:						for Latitude/Longitud			
					PS (unit make/model: .					
NW	above land surface, measured on (mo-day-yr)						(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
w							Online Mapper: Google Earth			
	Well water was ft.									
	after hours pumping						4.		ы — 1 П тос	
	X Estimated Yield:gpm					6 Elevation:ft. Ground Level TOC				
	S Bore Hole Diameter: 8.5 in. to 245 ft				ınd	Source: Land Survey GPS Topographic Map Other				
1 and 1 II. 0 It.										
7 WELL WATER TO BE USED AS:										
1. Domestic:							10. Oil Field Water Supply: lease			
						☐ Cased ☐ Uncased ☐ Geotechnical				
_	Lawn & Garden 7. □ Aquifer Recharge: well ID Livestock 8. ■ Monitoring: well ID						12. Geothermal: how many bores?			
_	2. ☐ Irrigation 9. Environmental Remediation: well ID						a) Closed Loop Horizontal Vertical			
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction							b) Open Loop Surface Discharge Inj. of Water			
4. 🔲 Industr		Reco					ther (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? Yes No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter										
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No. Sch. 40.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From .215 ft. to .245 ft., From ft. to ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From211.6. ft. to245 ft., From ft. to ft., From ft. to ft.										
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other										
Grout Intervals: From										
□ Septic		ne contamination:	l Lines ☐ Pit Privy			Livestock Pe	ns 🗆 Insec	ticide Storage		
☐ Sewer	Lines	Cess P	<u> </u>			Fuel Storage		doned Water	i i	
☐ Watert	ight Sewer L	ines Seepag				Fertilizer Sto		/ell/Gas Well	1	
Other (Specify)										
Direction from well? ft.										
10 FROM	TO	LITHO	DLOGIC LOG	F	ROM	TO	LITHO. LOG (cont.)	or PLUGGIN	IG INTERVALS	
0	0.5	Grass and topsoil		142		151	Gravelly sand, trac	e clay and	caliche	
0.5	8	Clayey silt		15		153	Sandstone			
8	20	Clay with sand, so		153		202	Sand with gravel,	some clay		
20	50	Clay with caliche.		202	2	212	Clay with caliche a		ome gravel	
50	61	Sandy clay, some		212	2	247	Sand with gravel,			
61	72		Sand with gravel, some clay and caliche							
72	82	Gravelly sand, some clay and caliche Notes: Kismet General Store; KDHE project code: U1-088-14952							-14952	
82	82 110 Sand with gravel, some clay and caliche									
110 142 Sand, some gravel										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) .7/24/18 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 881 This Water Well Record was completed on (mo-day year) 2/19/19										
under the business name of Woofter Pump & Well Signature Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,										
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									d 7/10/2015	

