


1 LOCATION OF WATER WELL: County: Seward Fraction: SE SE SW Section Number: 30 Township Number: T 33 S Range Number: R 32 E 10

Distance and direction from nearest town or city street address of well if located within city?

4E + 7N from Liberal

2 WATER WELL OWNER: Lindsey Wright
 RR#, St. Address, Box # :
 City, State, ZIP Code : Liberal, KS 67901
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 400 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL: 240 ft. below land surface measured on mo/day/yr 8-8-06
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield: 50 gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS:
 Domestic Feedlot Oil field water supply Dewatering Other (Specify below)
 Irrigation Industrial Domestic (lawn & garden) Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 PVC Steel RMP (SR) Wrought iron Concrete tile CASING JOINTS: Glued Clamped
 ABS 4 ABS 7 Fiberglass 8 Asbestos-Cement 9 Other (specify below) Welded
 Blank casing diameter: 5 in. to 340 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface: 18 in., weight lbs./ft. Wall thickness or gauge No. 200
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 PVC Steel Stainless Steel Fiberglass 8 RMP (SR) 10 Asbestos-Cement
 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot Mill slot 5 Guazed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 340 ft. to 400 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 400 ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
 Grout Intervals: From 4 ft. to 20 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 Direction from well? N How many feet? 20

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	110	Pine sand			
110	125	coarse gravel			
125	142	brown clay			
142	193	sand + gravel			
193	195	white clay			
195	290	sand + gravel			
290	335	brown clay			
335	350	blue clay			
350		sand + gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-9-06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 101 This Water Well Record was completed on (mo/day/yr) 9-22-06 under the business name of Bartel Well Drilling, Inc. by (signature) Kevin J. Bartel