WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: Seward	Fraction NE 1/4 NE 1/4 1/4	Section Number Township No. Range Number 74 26 T 33 S R 32 DE VW
Street/Rural Address of Well Location		Land Line
from nearest town or intersection: If		Latitude: 37-15400 (in decimal degrees)
PANHANDLE ROAD		Longitude: -100.76098 (in decimal degrees)
		Elevation:
2 WATER WELL OWNER: FORI		— <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
1 210	MER CIMARRON GAS PLANT	Collection Method:
0'1 0'1 7770 0'1	HANDLE ROAD	GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey
KISM	ET, KS 67859	Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m
3 LOCATE WELL		
WITH AN "X" IN 4 DEPTH O	F COMPLETED WELL 30	ft.
SECTION BOX: Depth(s) Grou	indwater Encountered $(1).20$	ft. (2) ft. (3) ft.
N WELL'S STA	ATIC WATER LEVEL 20	ft. (2)
		ft. after hours pumping gpm
EST. YIELD.	gpm. Well water was	ft. after hours pumping gpm
		ft., and
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)		
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well MW-15		
Was a chemical/bacteriological sample submitted to Department? Yes No		
S If yes, mo/day/yr sample was submitted		
Water well disinfected? Yes No		
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter 2 in to 30 ft., Diameter in to ft., Diameter in to ft.		
Casing height above land surface		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From 10 ft. to 30 ft., From ft. to ft.		
From		
GRAVEL PACK INTERVALS: From 8 ft. to30 ft., From		
From		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other		
Grout Intervals: From 0 ft. to 160 ft., From ft. to ft., From ft. to ft.		
What is the nearest source of possible co	ntamination: tines Pit privy Livesto	ock pens
Sewer lines Cesspo		
☐ Watertight sewer lines ☐ Seepag	e pit Feedyard Fertiliz	er storage Oil well/gas well
Direction from well		nce from well
	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 8 Red Sandy Silt		
8 22 Tan Red Sandy clay 22 30 Tan Sand		
22 30 Tan Sand		
The state of the s	1974 ACC 1973 ACC 1975 ACC 197	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged		
under my jurisdiction and was completed	d on (mo/day/year) .05/14/2013	and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. 761 This Water Well Record was completed on (mg/day/year) 05/24/2013		
under the business name of ACCURATE DRILLING SERVICES, INC. by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blacks and clicck the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212 Check: W White Copy, Blue Copy, Pink Copy		