## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

				· income				
County 1. Location of well:	Fraction	Section number		Township number	Range number			
Seward	NE 1/4 NE 1/4 SW	1/4		32	1 33	R 32	E W	
2. Distance and direction from nearest town or city: 7N, 5½E, ½S, ¼E, 3. Own								
of Liberal, Kansas Street address of well location if in city:				BOX 1303				
City, state, zip code:i				beral, Kansas 67901				
4. Locate with "X" in section below:  N					6. Bore hole dia. <u>28</u> in . Completion date <u>5-25-7</u> Well depth <u>280</u> ft .		-23-1/	
71' W and 107' S of NE co			orner		7 Cable tool Rotary Driven Dug			
L L L CUI C C 22 T22C								
Seward County, Kansas				,	8. Use: Domestic Public supply Industry			
W 1 1 E					X Irrigation Air conditioning Stock			
·   j					Lawn Oil field water Other			
SW SE	9. Casing: Material STL Height: Above or below Threaded Weldedx   Surface in.						pelow	
ThreadedWeldedSurface						Surface 12 Weight 37	in.	
1 → 1 Mile → 1					Dia. 16 in. to 118 ft. depth Wall Thickness: inches or			
5. Type and color of material			From	То	Dia in. to ft. de	pth gage No	19	
					10. Screen: Manufacturer's	name Foster,	<u>Doe</u> tr	
Top soil			0	10	Type millslot,	lowvered	16"	
-					Slot/gauze 1/16!!	Length <u>162</u>		
Fine to coarse sand, fine	to coarse grav	<u>rel</u>	10	92	Set between 118		ft.	
Tan clay			92	100	Gravel pack? X Size r		O mm	
					11. Static water level:		./day/yr.	
Fine to coarse sand clay :	streaks		100	116	ft. below land su	urface Date <u>11</u>	<u>3<b>–</b>76</u>	
Fine to coarse sand			116	128	12. Pumping level below lar			
			128	136	200 ft. after 12 hrs. pumping 1009 g.p.m. hrs. pumping 1009 g.p.m.			
Tan clay		•	120	130	Estimated maximum yield —	1000	g.p.m.	
Fine to medium sand			136	190	13. Water sample submitted:		./day/yr.	
			100	222	Yes <b>X</b> No	Date		
Fine sand			1		14. Well head completion: Pitless adapter	X Inches above	arade	
Tan sandy clay			222	232	15. Well grouted?x		_ ار	
Tine and			232	242	With: Neat cement X Bentonite Concrete			
Fine sand			1	243				
Tan sandy clay			243	262	16. Nearest source of possible		unk '	
Fine sand			262	280	Well disinfected upon comp		No	
			-		17. Pump:	Not installed		
Blue sandy clay			280	338		yne & Bowl		
Blue clay			338	360	Model number 12KM Length of drop pipe 260			
Blue Cluy	****		1 330	300	Type:	capacity	-,,,,,,,,,	
					Submersible	_X Turbin		
(Use a second	sheet if needed)				Jet Centrifugal	Recipr	ocating S	
18. Elevation: 19. Remarks:	,		1	L	20. Water well contractor's			
					This well was drilled under	my jurisdiction and thi	1 -	
Topography				is true to the best of my knowledge and belief.				
Topography: Hill					Layne-Western Co., Inc, 102			
X Slope					Address Garden			
Upland					Signe	ment Date		
Valley					Authorized re	epresentative 9 J4	M 77   2	

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5