

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Seward	Fraction NW 1/4 NW 1/4 SW 1/4	Section number 32	Township number T 33	Range number S R 32	E 1/4	
2. Distance and direction from nearest town or city: Street address of well location if in city:			3. Owner of well: Amigo Ranch R.R. or street: Box 1383 City, state, zip code: Liberal, Kansas 67901				
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile			Sketch map: 50' E and 275' S of NW corner of the SW 1/4, Sec. 32, T33S, R32W, Seward County, Kansas.			6. Bore hole dia. 28 in. Completion date 5/25/77 Well depth 350 ft.	
5. Type and color of material			From		To		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary
			Top soil		0 3		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
			Tan clay		3 64		9. Casing: Material St1 Height: <u>Above</u> or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 37 lbs./ft. Dia. 16 in. to 194 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. .219
			Fine to coarse sand		64 80		10. Screen: Manufacturer's name Foster, Doerr Type Millslot, lower 16" Slot/gauze 1/16" Length 156 Set between 194 ft. and 350 ft. ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 2.0 mm
			Tan clay and caliche		80 94		11. Static water level: <input type="checkbox"/> mo./day/yr. 186 ft. below land surface Date 11-2-76
			Fine to coarse sand		94 261		12. Pumping level below land surfaces: 210 ft. after 1/2 hrs. pumping 1158 g.p.m. 248 ft. after 1 hrs. pumping 1791 g.p.m. Estimated maximum yield 1800 g.p.m.
			Tan clay		261 270		13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <input type="checkbox"/>
			Fine to coarse sand small clay streaks		270 384		14. Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> Inches above grade
			Blue clay		384 440		15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
			(Use a second sheet if needed)				
18. Elevation: Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley			19. Remarks:			17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Layne & Bowler Model number 12KEH HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe 280 ft. capacity 1100 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne-Western Co., Inc. 102 Business name License No. Address Garden City, Kansas Signed [Signature] Date 9 Jun 77 Authorized representative	

33 32 32 NW 1/4 SW 1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5