WATER WELL RECORD	Form WW	VC-5			r Resources App. N		
l / / /	Fraction	V MT.	Section	on Number	Township No.	Range Number	
County: Seway 14 NE 1/4 SE 1/4 NE Street/Rural Address of Well Location; if unknown, distance & direction		direction	Clobo	1 V	T 77 S	R 39 DE AW	
from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information: Latitude:			
			Longi	Longitude: (in decimal degrees)			
13656 Rd J Liberal, KS		Eleva Datum	Elevation:				
2 WATER WELL OWNER: Matt Fitz greated RR#, Street Address, Box #: RKI Box 90			Collection Method: GPS unit (Make/Model:)				
City, State, ZIP Code : Mos cow, K5 67952		~		ors unit (Mak Digital Map/Ph	ke/Model: loto, Topographi	c Map, Land Survey	
77(0) (8	W, KS 6/76.	<u></u>	Est. A	ccuracy:	3 m, 3-5 m,	5-15 m, >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 390 ft.							
SECTION BOX: Depth(s) Groundwater Encountered (1),							
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
' rom vara t	Pump test data: Well water was						
WNWNE EST. YIELD							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SW SE Domestic							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? Yes \(\sum \) No							
5 TYPE OF CASING USED: Steel Y PVC Other							
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel TYPC Other (Specify)							
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From 200 ft. to ft., From ft. to ft.							
From ft to ft From ft to ft							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.							
Grout Intervals: From							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well ☐ Distance from well Distance from well ☐ Distance from well Distance from well Dist							
FROM TO LITHOLOG		FROM	TO			UGGING INTERVALS	
0 5 70,500		309	360	Sayed			
5 71 Sandy Clay		760 765	365	C/ay	Clari	- Administrative	
31 52 Rine Sand	Some Clau Larges	161	786	DIUY	<u> </u>		
91 220 Sand & arav							
220 231 Crey Clas							
231 264 Sand							
264 276 6/44						Company Compan	
276 700 Sayled							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was A constructed, \square reconstructed, or \square plugged							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, plugged under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health	and Environment, Bureau o	f Water, Geo	ogy Secti	on, 1000 SW Ja	ackson St., Suite 420,	, Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							