WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number		
1. Location of well:	Seward	SE 1/4 NW 1/4 NW	/4	2	23	T 33 S	R 33	E/ <u>W</u>	
2. Distance and direction from nearest town or city: 9 N, 2½ E, ½ S, 3. Owner of well: Steve Burgess									
of Liberal, Kansas. Street address of well location if in city:				SIZ NOI CII BIIEIMGII					
					6. Bore hole dia. 28 in. Completion date 2-7-77				
4. Locate with "X" in section below: N						Well depth 310 ft.	Completion date 4	-7-7 1	
· · · · · · · · · · · · · · · · · · ·						7 Cable tool Rotary Driven Dug			
Pibot point of the NW4, Sec.						Hollow rod Jetted Bored			
T33S, R33W, Seward County, Ko					.s.	8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock Lawn Oil field water Other			
E E									
SW SE						9. Casing: MaterialSt1 Height: Above or below			
<u> </u>						Threaded Welded Surface XX 12_ in. RMP PVC Weight 37 lbs./ft. Dia 16 to 181 ft. depth Wall Thickness: inches or			
\$									
5. Type and color of material				From	To	Diain. toft. depth yare No219			
7,7,0						10. Screen: Manufacturer's name Doerr.			
Top soil				0	30	Foster Typelouvered, mibbslot 16"			
Red clay				30	56	Slot/gauze 1/8 ^{rt} Length 229			
ned cray						Set between <u>181</u> ft. and <u>410</u> ft.			
Tan clay				56	92	Gravel pack?X_ Size ran		- mm	
Fine to coarse sand				92	234	1). Static water level: 162 ft. below land surf	mo./	'day/yr.	
				004	070	12. Pumping level below land		<u></u>	
Sandy clay				234	278	180 ft. after 1/2 h	rs. pumping 1016	g.p.m.	
Fine to coarse sand fine to medium gravel				278	410	195 ft. after 1 hrs. pumping 1912 g.p.m. Estimated maximum yield 2500 g.p.m.			
Blue sandy clay				5 10	460				
						Yes X No	Date		
						14. Well head completion: Pitless adapter	🗴 Inches above gr	rada	
						15. Well grouted?X	Theres above gi	r	
						With: Neat cement X Bentonite Concrete Depth: From 0 ft. to 10 ft.			
						16. Nearest source of possible contamination: UNK ft Direction Type			
			1			Well disinfected upon complet	rion? X Yes	<u>-</u> № ω	
						17. Pump:	Not installed ne & Bowler	∞ 'C •	
						Manufacturer's name Layr Model number12K	HP 100 Volts	160 <u> </u>	
						Length of drop pipe 260	_ ft. capacity <u>900</u>	3.p.m. Sm	
						Type: Submersible	X_ Turbine		
						Jet	Reciproc	ating (
(Use a second sheet if needed)						Centrifugal	Other		
18. Elevation: 19. Remarks:						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report			
						is true to the best of my knowledge and belief.			
Topography:						Layne-Western Business name			
Slope						Address Garden	Kanso	1 - 1 \	
Valley						Signed Authorized repr	esentative Date -	315 5	
		CIL III I I I			I	Authorized repr		BYTY FIS	
rorward the white, blu	e and pink copies to the Department of	ot Health and Environment					Form WWC	~ <i>S</i>	