USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Ť	R	EW	sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health (Water Well Contractors) Forbes-Bldg. 740 Topeka, Kansas 66620

	County	Township name	Fraction		Section number			Town number	Range number		
1 Location of well:	SEWARD	LIBERAL	BERAL awher of Nuc		4 36			T335	R33W		
Distance and directi	ion from nearest town or cit		: R1	phort Hatcher							
Street address of we	<b>∋</b> \$\$;	L:	obert Hatcher 204 N. Carlon iberal, Kansas								
Locate with "X" in section below:  N							4 Well depth: 470 ft. Date of completion 276.70 Well diameter 26 in.				
				5 Cable tool Rotary Driven Dug Hollow rod Detted Bored Reverse rotary							
W							6 Use: Domestic Public supply Industry  Irrigation Air conditioning Commercial Test well				
	1			7 Casing: Material Height: above/ <del>below</del> Threaded Welded Wisurface Z							
ļ	S Mile		Diam.   Weight lbs./ft   Weight lbs./ft   Weight lbs./ft								
2	From	То	=	in. to ft. depth   8 Screen:							
Top soil and fine sand						90	Тур	Manufacturer LB Fas tee  Type M:11-Slot Dia. 16"  Slod gauze 125 Length 269  Set between 181 ft. and 470 ft.			
Fine sand						120	Set				
Medium sand, gravel, and clay streaks						150	Fit Gr	tings: avel pack 🔀 Yes 🔲 No S	スピー 歩ん な Dowl ize range of material <u></u>	j	
Medium sand, and gravel						180	9 Sta	tic water level:			
Medium sand and gravel						210		mping level below land surfa			
Medium sand and gravel						240		fi. afyer hrs. imated maximum yield	pumping g.p.m.		
Medium sand and gravel						2 <b>7</b> 0	11 Wa	ter sample submitted: Yes No Date			
Coarse -Medium sand and clay						300	12 We	Il head completion:	Inches above grade	١,	
Coarse sand						330			No Proces above grade	$\neg \omega$	
Medium sand and clay streaks						360	Der	Neat cement Bentonite Depth: From ft. to ft.			
Coarse sand and clay streaks						390	14 Ne	arest source of possible con	tamination:		
!!						420		II disinfected upon complet	ion? Yes No		
Coarse sand, fine gravel, clay streaks						450	Мо	nufacturer's name		3 6	
Medium sand						480	Ler	ngth of drop pipe ft	Volts Volts	Ċ	
Rock and red bed								Submersible	Turbine	ω	
(use a second sheet if needed)								Jet Certrifugal	Reciprocating Other	ر م	
16 Remarks: elevation Customic Prueso S/AB  Topography:  HIII Solope  Upland							Thi rep Bus Ad	ter well contractor's certifics well was drilled under my cort is true to the best of my was a large dress Ballon Jane	jurisdiction and this knowledge and belief.  License No.  BERMAN  Date 31/-24	, , ,	
☐ Valley				Authorized representative							

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5