WATER WELL RECORD	Form WWC-5	Division of Water	er Resources; App. No.	
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number R 34 EW
County: Seward	5F14 SE 14 NW 1/4	14	T 33 S	
Distance and direction from nearest town or		- · · · ~	Systems (decimal degr	,
located within city? Hwy 85 and Rd		Latitude:		
Rd. 13, .5 N on dirt road		_ Longitude:		
	Land & Cattle CO	Elevation:		
RR#, St. Address, Box # : RR 1 B		Datum:		
City, State, ZIP Code : Libera	1, KS 67901	Data Collection	Method:	
3 LOCATE WELL'S 4 DEPTH OF COM	MPLETED WELL 4.0.0.	ft.		
LOCATION				
	er Encountered (1)210.		ft. (3)	
<b>SECTION BOX:</b> WELL'S STATIC W	VATER LEVEL210	t. below land surface	measured on mo/day	yr. 2:15:10
N Pump test da	ata: Well water was🍇 1 8	ft. after	hours pumping	85 gpm
Est. Yield <b>3.5</b> g <sub>I</sub>	om: Well water was	ft. after	hours pumping	gpm
WELL WATER TO	BE USED AS: 5 Public water eedlot 6 Oil field water	r supply 8 Air	conditioning 11 Inje	ection well
$\mathbf{W} = \mathbf{X} = $	eedlot 6 Oil field water	supply 9 Dev	vatering 12 Otl	ner (Specify below)
2 Irrigation 4 Is	ndustrial 7 Domestic (lawr	& garden) 10 Moi	nitoring well	
SW   SE				
Was a chemical/bact	teriological sample submitted to	Department? Yes	;	If yes, mo/day/yrs
	ed Wa	ter well disinfected?	YesX No	•••
S				
5 TYPE OF CASING USED: 5 Wrough			G JOINTS: GluedX	
	os-Cement 9 Other (speci	fy below)	Welded	
(2) VC 4 ABS 7 Fibergla	ass		Threaded	
Blank casing diameter5 in. to <b>330</b>	ft., Diameter	. in. to ft.,	Diameter	in. toft.
Casing height above land surface2.4	in., Weight3 7.0.6	lbs./ft. Wall thic	ckness or guage No. 2.	1.316
TYPE OF SCREEN OR PERFORATION MAT	ΓERIAL:			
		ABS	11 Other (Specify) .	
		Asbestos-Cement	12 None used (open	hole)
SCREEN OR PERFORATION OPENINGS AI				
1 Continuous slot 3 Mill slot 5	Gauzed wrapped 7 Torch cu	t 9 Drilled holes	11 None (open he	ole)
2 Louvered shutter 4 Key punched 6	Wire wrapped (8)3aw cut	10 Other (specify	y)	
SCREEN-PERFORATED INTERVALS: From				
Fron	n ft. to	ft., From	ft. to	ft.
GRAVEL PACK INTERVALS: From				
	n ft. to	,		
6 GROUT MATERIAL: 1 Seat cement	2 Camont grout 2 Pontonita	1 Other	h - l l	
Grout Intervals: From1 ft. to	25 ft., From	to f	·UOTA·DTAG·····	ft to ft
What is the nearest source of possible contamin		11. 10 1	L, FIOIII	11. 1011.
1 Septic tank 4 Lateral lines		stock pens 13 Ins	secticide storage	16 Other (specify
2 Sewer lines 5 Cess pool	8 Sewage lagoon 11 Fuel		oandoned water well	16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit		-		
Direction from well?	•	•		
FROM TO LITHOLOG			PLUGGING INTE	
	ic Lod TRO	VI 10	r Lodding in II	ERVALS
0 1 Surface				
1 17 Clay				
17 39 Sandy clay	1			
39 65 Sand	1			
65 134 Clay				
134 185 Sand				
185 211 Clay				
211 385 Sand				
385 400 Sand and clay	streaks "fine"			
CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: This water	er well was (1) consti	ructed, (2) reconstructe	ed, or (3) plugged
under my jurisdiction and was completed on (m	o/day/year) . <b>31.51.0</b> ar	nd this record is true	to the best of my know	ledge and belief.
Kansas Water Well Contractor's License No. K	WWCL4.3 This Water Well R	ecord was completed	l on (molday/year)	2-15-10
under the business name of Howard Dril	ling Box 806 Beav	beyr (signature) 3932	2 V W. V. May A	UN)
INSTRUCTIONS: Use typewriter or ball point pen. PLI	EASE PRESS FIRMLY and PRINT cle	arly. Please fill in blanks	s, underline or wifeld the co	
three copies to Kansas Department of Health and Environm				

http://www.kdheks.gov/waterwell/index.html.