WATER WELL RECORD		Form WWC-5		Di	vision of Wate	r Resources App. No),	
1 LOCATION OF WATER WELL:		Fraction	/>	Section	on Number	Township No.	Range Number	
County: Soward		1/4 SE 1/4 SI			25	т 33 в	R 74 □E X W	
Street/Rural Address of Well Location; if unknown, distance &				Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
					Elevation: (in decimal degrees)			
4 1 1 1				_ Datur	Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Ray mond Edelman RR#, Street Address, Box #: 11542 Kd					Collection Method:			
City, State, ZIP Code : [[54] K. [7]					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : L. beral, KS 67901				Est. A	Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOCATE WELL								
WITH AN "X" IN		COMPLETED WEI					2) 0	
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
Pump_test data: Well water wasft. after								
EST. YIELD. 5.0 gpm. Well water was								
W Bore Hole Diameter 7 8. in. to ft., and						to	ft.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection v								
Other (Specify below Decomposition of Specify below Decomposition of Specify below Decomposition Dec								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
was a chemical/bacteriological sample submitted to Department?								
Water well disinfected? Yes \[\] No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
CASING JOINTS: Q Glued								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 2.45 ft. to 4.05 ft., From ft. to ft.								
From ft to ft From ft to ft								
From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
							ICCINIC INTERNALIC	
FROM TO Q	LITHOLOG	IIC LUG	FROM	ТО	LITHO. L	OG (cont.) or PLU	IGGING INTERVALS	
0 60 67	Seil Clar							
59 65 590	dy Clay							
7	7. Y.							
17/ 210 59	H w/ Clay	Streaks						
210 259 Jan		Layers				****		
259 275 59n	My Clay							
275 395 Me	/ /	y Sand						
795 405 San	d & Clay >	Treaks						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, □ reconstructed, or □ plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on mo/day/year) 296 This Water Well Record was completed on mo/day/year)								
under the business name of Deut Awest Window ill by (signature) was signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								