WATER WELL RECORD		Form WWC-5			Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction					Range Number	
County: 5+eu	ens	NE% NE% SI	1.3/4 SW 1/				R 35 DE XW	
Street/Rural Addres	f unknown, distance &			System (GPS) it				
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
					Elevation: (in decimal degrees)			
ly mile east					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL	OWNER: Server	ndo Baeza		Colle	ection Method:			
RR#, Street Address, Box #: 821 Rd 18					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Co	ode : Ucast	n, Ks 67951		L L	Digital Map/Pho	oto, Topographi	ic Map, ☐ Land Survey] 5-15 m, ☐ >15 m	
3 LOCATE WELL	,					3 III, [] 3-3 III, [5-15 m, 1 > 15 m	
WITH AN "X" IN	4 DEPTH OF C	COMPLETED WEL	L	35	ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1)ft. (2)ft. (3)ft.							
N	WELL'S STATIC WATER LEVEL Pr. w. ft. below land surface measured on mo/day/yr 2.75							
	Pump test data: Well water wasft. after							
NWNE								
W	E Bore Hole Diameter							
Demartic Feedlot Oil field water supply Dewatering Stother (Specify below)								
SW SE Dolliestic Feedlot Off field water supply Downstering Downstering Downstering Downstering Monitoring well Live 10-45								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? \[\sum \text{Yes} \sum \text{No} \]								
5 TYPE OF CASING USED: X Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Specify)								
Steel Brass	Galvanized Steel	☐ None used (open h	ole)		(Specify)		***********	
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
From								
GRAVEL PACK INTERVALS: From			ft. to		ft., From	ft.	to ft.	
GIGT / EE 17							to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
			1	ft. to	ft.,	From	. ft. toft.	
What is the nearest sou		mination: es ☐ Pit privy			□ 1		(
Septic tank Sewer lines		Livestock pens						
	Sewage lagoon t Feedyard	Fertilizer						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well								
FROM TO	LITHOLOGI	C LOG	FROM	TO	LITHO. LO	G (cont.) or PLU	GGING INTERVALS	
			185	13	Compac	ted Fill		
			13	_3	Cemen.	+ plug		
			<u> </u>		-			
	1.00							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) 2.7/3.7.4 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the business name of Haskingsan Solas & Sorreica by (signature) Received Market Market Send one copy to INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to								
INSTRUCTIONS: Use ty	pewriter or ball point pen.	PLEASE PRESS FIRMLY ent Bureau of Water Geo	and <u>PRINT</u> c	iearly. Plo 000 SW	ease till in blanks a Jackson St. Suite	and check the correct: 420. Topeka Kansas	answers. Send one copy to s 66612-1367.	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html								