

Stevens

14-T33-R35W

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	
Doc ID	1518139

Lithology

0	25	TOP SOIL FINE MEDIUM SAND
25	80	FINE COARSE SAND
80	90	FINE COARSE SAND SMALL LARGE GRAVEL STREAKS & THIN ROCK LAYERS- DRILLED EASY
90	105	TAN CLAY
105	120	FINE COARSE / ROCK / CLAY SMALL TO MEDIUM GRAVEL LAYERS
120	145	TAN CLAY STICKY
145	147	LOST CIRCULATION
147	160	TAN CLAY FINE SAND
160	180	BROWN TAN CLAY WITH FINE SAND
180	230	FINE SMALL SAND
230	240	FINE COARSE SAND
240	320	FINE SAND
320	360	FINE COARSE SAND
360	380	FINE COARSE SAND WITH BROWN CLAY STREAKS & LAYERS
380	420	FINE COARSE SAND
420	440	FINE SAND WITH BROWN CLAY
440	460	FINE COARSE SAND

Stevens

14-T33-R35W

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	
Doc ID	1518139

Lithology

460	490	FINE MEDIUM SAND WITH SMALL COARSE AND THIN BROWN CLAY STREAKS
490	504	FINE COARSE SAND
504	510	FINE SAND TIGHT & CLAY STREAKS
510	528	FINE COARSE SAND LOOSE WITH SOME COARSE GRAVEL
528	545	FINE COARSE SAND
545	546	TIGHT FINE SAND
546	550	MEDIUM TIGHT WITH LOOSE STREAKS FINE COARSE SAND
550	560	TIGHT WITH LOOSE STREAKS FINE COARSE SAND