## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County	Fraction		Section number		Township number	Range number	
Location of well:	Stevens	NW 1/4 SE 1/4 SE		30		T 33 S	R 35	E/W
2. Distance and direction from nearest town or city: 10 B, 2S, 3/4 B 3. Owner of we						ul Nix		
						.R.		
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia.	Completion date <b>Q</b>	-30-76
N Sketch map.						Well depth _452ft.		
Center of the SE, Sec. 30					3S,	7 Cable tool Rotary		
R35W, Stevens County, Kansas						Hollow rod Jetted	•	
						8. Use: Domestic Public supply Industry  X Irrigation Air conditioning Stock		
						Lawn Oil field water Other		
						9. Casing: Material St1 Height: Above or below		
<del>                                    </del>						Threaded Welded RMP PVC		in.
1 M						Dia. 16 in. to 237 ft. dep	th!Wall Thickness: in	iches or
5. Type and color of material					To	Dia in. to ft. dep	th gage No2	19
						10. Screen: Manufacturer's r	name FOSCEL	,
Top soil				<u> </u>	6	Millslot, louver. 16"		
Tan clay sand streaks				6	78	Slot/gauze 1/8 <sup>11</sup> Set between 237	_ Length	
						ft. c	and	ft.
Fine to coarse sand			78	152	Gravel pack? Size ra			
Tan clay			152	224	11. Static water level: mo./day/yr. 222 ft. below land surface Date 7-26-76			
Fine to coarse sand clay streaks				224	298	12. Pumping level below land surfaces:		
Tan sandy clay				298	320			
Pine to seems and				220	220	Estimated maximum yield		
Fine to coarse sand				320	338	13. Water sample submitted: mo./day/yr.  Yes X No Date		
Tan sandy clay				338	358	14. Well head completion:		
Fine to coarse sand small clay streaks				358	452	Pitless adapterInches above grade		
The second of th				450	F40	With: Neat cement	K Bentonite	Concrete
Tan sandy clay				452	540	Depth: FromO ft. to	10 ft.	
						16. Nearest source of possible		ink '
						ft Direction Well disinfected upon comple		No
	····					17. Pump:	Not installed ayne & Bow	ler "
				<del> </del>		Manufacturer's name Model number 12KH	HP_200_ Vo	
						Length of drop pipe _280	ft. capacity	
						Type: Submersible	X Turbin	
						Jet		rocating
(Use a second sheet if needed)				l		Centrifugal	Other	^ n l
18. Elevation: 19. Remarks:						20. Water well contractor's This well was drilled under n		is report
						is true to the best of my know	wledge and belief.	
Topography: Hill						Layne-Western	•	sense No
Slope						Business name Garden C	ity, Kansa	
X Upland						Signed 11-11	- Cent	۱ – ا جسیست ه
Valley						Authorized re	presentative /	C 7(1 x