

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Stevens		SW ¼ SW ¼ SE ¼	32	T 33 S	R 37 E
Distance and direction from nearest town or city street address of well if located within city? 3 miles south, ½ west of Hugoton, Kansas					
2 WATER WELL OWNER: Pelajo Properties RR#, St. Address, Box # : Mary Alice Owens City, State, ZIP Code : 6104 Copperhill Dr., Dallas, Tx. 75248 Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 570 ft. ELEVATION: slope			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr 12-18-96			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 24 in. to 570 ft., and in. to ft.			
		WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) <u>2 Irrigation</u> 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes X No			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded X
			7 Fiberglass		Threaded
Blank casing diameter 1.6 in. to 3.10 ft., Dia 1.6 in. to 4.90 ft., Dia in. to ft.					
Casing height above land surface 12 in., weight 3.6 . 9.1 lbs./ft. Wall thickness or gauge No. 2.1.9					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
					12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From ft. to ft., From 4.90 ft. to 5.70 ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 20 ft. to 5.70 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? East		How many feet? 2000 (about)			
LITHOLOGIC LOG		PLUGGING INTERVALS			
FROM	TO				
0	2	Surface			
2	15	Clay			
15	40	Fine to medium sand			
40	60	Coarse sand			
60	105	Clay w/hard lime shells			
105	115	Cemented sand			
115	225	Sandy clay w/lime shells			
225	312	Fine sand			
312	420	Medium to coarse sand w/small clay breakers			
420	475	Clay and fine sand			
475	480	Medium sand			
480	505	Clay and fine sand strups			
505	543	Coarse sand w/clay breakers			
543	557	Clay w/sand strips			
557	569	Coarse sand some fine			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12-18-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 164 This Water Well Record was completed on (mo/day/yr) 12-18-96 under the business name of Houck Bros. Drlg. Co. by (signature) M. Beard					

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.