CORRECTION(S) TO WATER WELL RECORD (WWC-5)

5tevens

County:

(to rectify lacking or incorrect information)

Location listed as:	Location changed to:
Section-Township-Range: 16-335-3740	16-335-37W
Fraction (1/4 1/4 1/4): None Given	SW SW NW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Written & legal descrip	•
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Co	initials: ORL date: 2/24/2005 onstant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

		WAIER	WELL RECORD	orm WWC-	NSA 82	a-1212			
1 LOCATION OF WATE	R WELL:	Fraction		Sec	ction Numbe	r Town:	ship Number	Range	Number
County: Stevens		1/4	1/4	1/4	10	T	3 S S	R 📆	37 EW
	St., Hugoto	on, KS							
2 WATER WELL OWN			ghway Departm	nent					
RR#, St. Address, Box	# : 510 W. (rd of Agriculture, D	Division of W	ater Resources
City, State, ZIP Code		, KS 67951		70			lication Number:		
J LOCATE WELL'S LO AN "X" IN SECTION									
ī	I WE	LL'S STATIC W	ter Encountered 1. /ATER LEVEL .7.3.)' <u>n</u> p. _t	water at below land si	time of urface measu	red on mo/day/yr	1-17-	-90
NW	- NE		est data: Well water						
	Est	. Yield	. gpm: Well water	was	ft.	after	hours pur	mping	gpm
• ,, i	l Bor	re Hole Diamete	r.6. <i>5</i> /.8in. to .	85		and	in.	to	
ž w i	I WE	LL WATER TO	BE USED AS:	5 Public water	er supply	8 Air condi	tioning 11	Injection wel	II
sw -	SE	1 Domestic	3 Feedlot 6	Oil field wa	ater supply	9 Dewateri	ng 🚜), 12 (Other (Speci	ify below)
; -	36	2 Irrigation	4 Industrial	Lawn and	garden only	Monitorir (10)	ng well #14		
+ <u>L</u> i	l Wa	s a chemical/bac	cteriological sample s	ubmitted to D	epartment?	YesX1	lo; If yes,	mo/day/yr s	ample was sub-
\$	mitt	ted			W		infected? Yes	No	
5 TYPE OF BLANK CA	SING USED:	5	Wrought iron	8 Concr	ete tile	CASIN	NG JOINTS: Glued) Cla	mped
1 Steel	3 RMP (SR)	6	Asbestos-Cement	9 Other	(specify belo	ow)			
2) PVC	4 ABS		' Fiberglass						
Blank casing diameter .									
Casing height above lan			., weight		lbs	./ft. Wall thic	kness or gauge No	o. 3/10".	
TYPE OF SCREEN OR				7PV			10 Asbestos-ceme		*
1 Steel	3 Stainless ste		Fiberglass		ИР (SR)		11 Other (specify)		
2 Brass	4 Galvanized s		Concrete tile	9 AE	3S		12 None used (op	-	
SCREEN OR PERFORA				d wrapped		8 Saw cu		11 None (open hole)
1)Continuous slot	3 Mill sk		6 Wire w	• •		9 Drilled			
2 Louvered shutter			7 Torch				specify)		
SCREEN-PERFORATED		From	- το		π., ⊢r	om	π. το	o <i></i> .	π.
		C	44 4-		4 -		£4 .4.	_	4
GRAVEL BAC			ft. to						
GRAVEL PAC	K INTERVALS:	From	ft. to		ft., Fr	om	ft. to	o	
	K INTERVALS:	From	ft. to ft. to		ft., Fr	om	ft. to	o	ft.
6 GROUT MATERIAL:	K INTERVALS:	From	ft. to ft. to Cement grout	(3)Bento	ft., Fronite	om	ft. to	o	
6 GROUT MATERIAL: Grout Intervals: From	K INTERVALS: 1 Neat ceme	From 2	ft. to ft. to	(3)Bento	ft., Fr ft., Fr onite 4 to	om om 4 Other ft., F	ft. to	o	
6 GROUT MATERIAL: Grout Intervals: From What is the nearest sou	1 Neat ceme	From 2 ent 2 totamination:	ft. to ft. to Cement grout ft., From	(3)Bento	ft., Fr. ft., Fr. onite 4 to	om	ft. to	o	ft.
6 GROUT MATERIAL: Grout Intervals: From	1 Neat cemeft. trce of possible cont	From From ent 2 to tamination:	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3 Bento	ft., Fronite 4 to	om Other ft., Frestock pens I storage	ft. to ft	o	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines	1 Neat cemeft. t rce of possible cont 4 Lateral lir 5 Cess poo	From From ent 2 to tamination: nes	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago	3 Bento	to	om	rom	o	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines	1 Neat cemeft. trce of possible cont	From From ent 2 to tamination: nes	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3 Bento	to	om Other ft., Frestock pens I storage	rom	o	ft. ft. ft. ft. ater well
6 GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From From ent 2 to tamination: nes	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat cemeft. tree of possible cont 4 Lateral lir 5 Cess poor	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage acticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage coticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	1 Neat ceme 1 Neat ceme 1 ft. troce of possible contour 4 Lateral lin 2 Cess poor lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	to	om 4 Other ft., Festock pens I storage cilizer storage coticide storag any feet? Benton	rom	oft. to candoned will well/Gas wither (specify	ft. ft. ft. ft. ater well
6 GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO	1 Neat ceme 1 Neat ceme 1 See to ft.	From. From ent 2 to tamination: nes ol pit LITHOLOGIC LC	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento ft.	to	om 4 Other ft., Fi estock pens I storage edilizer storage any feet? Benton level	rom	tt to condoned water (specify	ft. ftft. ater well vell below)
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO	1 Neat ceme 1 Neat ceme 1 See of possible contour lines 6 Seepage LMW #14	From. From ent 2 to	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento ft. on FROM 85 60 1	to	om	rom	or the to control of the to co	iction and was
6 GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO	1 Neat ceme 1 Neat ceme 1 Tree of possible cont 2 Lateral lir 5 Cess poor 1 lines 6 Seepage L MW #14	From. From ent 2 to	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento ft. FROM 85 60 s (1) constru	to	om	rom	or ft. to open done of the control o	iction and was
6 GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO	1 Neat ceme 1 Neat ceme 1 Tree of possible cont 2 Lateral lir 5 Cess poor 1 lines 6 Seepage L MW #14	From. From ent 2 to	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento ft.	to	om	rom	or ft. to open done of the control o	iction and was
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO 7 CONTRACTOR'S OF cornpleted on (mo/day/y Water Well Contractor's under the business name	1 Neat ceme 1 Neat ceme 1 tree of possible cont 2 Lateral lir 5 Cess poor 1 lines 6 Seepage L MW #14 R LANDOWNER'S (pear) 6/3 License No. 540 e of Prairie I	From ent 2 to tamination: nes ol pit LITHOLOGIC LC CERTIFICATION 30/92 Land Envir	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento ft. FROM 85* 60' s (1) constru	to	om o	rom	or the to condoned we see the condoned we see	iction and was belief. Kansas