WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Stevens County	36 1/4 SE 1/4 NE 1/4 NW1/4	10   T 33 S   R 37 □ E 12 W
Street/Rural Address of Well Location		Global Positioning System (GPS) information:  Latitude: .3.1.115.0
from nearest town or intersection: If a	t owner's address, check here .	Latitude:
MW-3A		Longitude: 101.33.02
2 WATER WELL OWNER: Steven	County 1. IC-11 Atto Congleto	Datum: WGS 84, NAD 83, NAD 27
RR#, Street Address, Box #: RR.	Box 1 12	GPS unit (Make/Model:)
City, State, ZIP Code : Live > 1	on, ks, 67951	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
Hugore	ok' k2' 8 1.21	Est. Accuracy: 🗷 <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
3 LOCATE WELL	12	0.0'
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	ft.
SECTION BOX: Depth(s) Groun	ndwater Encountered (1)	ft. (3)ft.
		below land surface measured on mo/day/yr. 4-25-67
		ft. after hours pumping gpmft. after hours pumping gpm
		t., andin. toft.
WEIT WATE		er supply    Geothermal    Injection well
		er supply Dewatering Other (Specify below)
SWSE Domestic		vn & garden Monitoring well
	al/bacteriological sample submitted to	
	o/day/yr sample was submitted	
	infected? Yes No	
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter		
Casing diameter		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
Steel Stainless Steel PVC Other (Specify)		
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From 100.0 ft. to 130.0 ft., From ft. to ft.		
From		
GRAVEL PACK INTERVALS: From. 97.5 ft. to 130.0 ft., From ft. to ft.		
From		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other		
Grout Intervals: From		
What is the nearest source of possible con		
1 === 1	lines Pit privy Livestock p	
Sewer lines Cesspoo Watertight sewer lines Seepage	l Sewage lagoon Fuel storage pit Feedyard Fertilizer st	
Direction from well		from well
FROM TO LITHOLO		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
	Moist (Dune Sand) 0,0	1.5 Concrete
5.0 10.0 leancley Drk 616		94.5 Bentonite Grout (Aque Gaurd Grout)
10.0 50.0 Silty 5 ad 80-40% f		77.5 3/8" Bentonite Chips (Hole Plus)
50.0 70.0 PGS 95-100% FASONA		130.0 10/20 filter Pack Sand
	salla(a)	
105.0 130.0 Lean Clay w/Sand by	N. Sat. Locallala	
	. , ,	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged		
under my jurisdiction and was completed on (mo/day/year) 6-25-61 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No		
Kansas Water Well Contractor's License No 10.7.7 This Water Well Record was completed on (mo/day/year)		
under the business name of		
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		
http://www.kdheks.gov/waterwell/index.html.		Charles White Come D Blue Come D Blue Come
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy		