

WATER WELL R		VV VV C-3	93043		ion of Water		W 11 ID	
		e in Well Use			rces App. No.	E 1: N 1	Well ID	N. 1
		Fraction	1/. 1/.	Secti	on Number	Township Numb		ge Number
County:	1/4 1/4	1/4 1/4	D	1 4 1 1 1	T S	R	□ E □ W	
2 WELL OWNER: La Business:	ist Name:	First:			l Address where well is located (if unknown, distance and			
Address:	direction from nearest town or intersection): If at owner's address, check here:							
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	IPI ETED WEI I		ft	5 Latitud	<u>):</u>		(daaimal daamaaa)
WITH "X" IN	Depth(s) Groundwater							
SECTION BOX:		3) ft., or 4				de:		
N	WELL'S STATIC WA							
	☐ below land surface.				GPS (unit make/model:			
X - NW NE	above land surface,							
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map			
W E		s pumping			Online Mapper:			
SW SE		vater was						
		s pumping	gpm	6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Estimated Yield: Bore Hole Diameter:		ft and					
mile		in. to						
7 WELL WATER TO								
1. Domestic:		ter Supply: well ID			10 □ Oil F	ield Water Supply: 1	ease	
☐ Household		g: how many wells?				e: well ID		
☐ Lawn & Garden		echarge: well ID				d Uncased		
Livestock		g: well ID				nal: how many bore		
2. Irrigation	Environmenta	al Remediation: well				ed Loop Horizon		
3. Feedlot	Air Sparge		or Extraction	n		Loop Surface D		
4. Industrial	☐ Recovery	☐ Injection			13. Other	(specify):		
Was a chemical/bacter	iological sample subm	itted to KDHE? [□ Yes □	No]	If yes, date sa	ample was submitte	ed:	
Water well disinfected?	☐ Yes ☐ No							
8 TYPE OF CASING								l ☐ Threaded
Casing diameter					ft., Diamete	er in. to	ft.	
Casing height above land s			lbs	s./ft.	Wall thickne	ss or gauge No		
TYPE OF SCREEN OR								
	less Steel					(Specify)	• • • • • • • • • • • • • • • • • • • •	
	anized Steel Conc		e used (oper	n hole)				
SCREEN OR PERFORA			Toroh Cut		llad Holos - F	Other (Specify)		
	☐ Key Punched ☐ W				ne (Open Hole			•••••
SCREEN-PERFORATE	ED INTERVALS: From	ne wrapped	ft F	rom	ft to	ft From	ft to	ft
SCREEN-PERFORATED INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
Watertight Sewer Lin				∐ F	ertilizer Storag	ge ∐ Oil We	ell/Gas Well	
☐ Other (Specify)								
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		CINTERVALS
TO TROW TO	LITHOLOG	JIC LOG	TRO	11/1	TO LI	THO. LOG (cont.) o	LUGGIN	JINTERVALS
Notes:								
11 CONTRACTOR'S	OR LANDOWNER'S	S CERTIFICATION	ON: This	water v	well was 🗌 o	constructed, 🗌 reco	onstructed,	or plugged
under my jurisdiction an	d was completed on (m	no-day-year)	***	and th	is record is t	rue to the best of m	y knowledg	ge and belief.
Kansas Water Well Con	tractor's License No	This V	water Wel	I Keco	rd was comp	leted on (mo-day-y	ear)	•••••
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Мо
Doc ID	1093045

Litholgy

From	То	LithologicLog
0	2	SURFACE
2	7	BROWN CLAY
7	40	ROCK BROWN CLAY
40	62	SAND, MED COURSE, SOME CLAY
62	123	SAND, FINE TO MED, COARSE
123	194	BROWN WHITE CLAY (HARD)
194	202	RED CLAY (HARD)
202	228	RED SANDY CLAY
228	250	SAND, SILKY, NO CLAY
250	310	SAND FINE TO MED, COARSE, THIN CLAY
310	342	SAND, FINE TO MED, COURSE
342	362	SAND FINE TO MED COARSE,
362	378	SILKY TO FINE
378	400	SILKY TO FINE, MED THIN CLAY
400	431	SILKY TO FINE CLAY
431	442	SAND FINE TO MED
442	451	SAND FINE
451	462	BROWN CLAY
462	481	SAND FINE TO MED COURSE

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Мо	
Doc ID	1093045	

Litholgy

From	То	LithologicLog
481		BROWN CLAY, (STICKY AND LIGHT)
500	521	SAND SILKY, SOME CLAY
521	536	BROWN & RED CLAY
536	544	RED CLAY
544	550	RED BED (HARD)_